

关于我们

About Us

Come A-FLY, GET ALL YOUR RIGHT PARTS!

A-FLY, a professional elevator/escalator spare parts manufacturer & supplier, with headquarter located in Hong Kong, as well branch in Guangzhou. Taking "Providing most cost-effective products" as the company core value, A-FLY had been supplying their products to more than 100 countries all over the world, covering Asia, America, Europe, Oceania, etc. A-FLY had been appointed as the long-term global supplier of OTIS / ThyssenKrupp elevator company's.

With Passion, Honesty, Profession, Innovation! A-FLY is sincerely looking forward to serving you! COME A-FLY, GET YOUR ALL RIGHT PARTS!

PRODUCT: We supply all of elevator & escalator parts. And focus on high-speed guide roller, Encoder/Inverter/contactor, Electronic board/ Push button, Handrail, Step/Step chain, Cable, Wire rope ARD, GTR /IGBT/IPM modules.

We also supply elevator/escalator components suitable for Hitachi/ LG/Schindler/Mitsubishi/Kone/Hyundai. We offer the most reasonable and competitive price to our client.



▶ 办公环境



▶ 工厂环境

企业荣誉

Certificates



目录

Catalogue

| | |
|-----------------|--------------|
| Home Elevator | -----P61 |
| Escalator | -----P62 |
| Elevator Parts | -----P63-P73 |
| Roller Series | -----P74-P77 |
| Escalator Parts | -----P78-P85 |
| Elevator Parts | -----P86-P89 |
| Safety Parts | -----P90-P91 |
| Door Parts | -----P92-P93 |
| Our Clients | -----P94-P95 |

发展历程

Development process



风雨兼程 一路成长

Trials and hardships all the way to grow

- 1999-2002: Modernization subcontractor for Hitachi/Guangri Elevator, modernize elevators projects.
 - 2003: Supplying elevator overload, elevator IC card control system, CEDES light curtain and photo-electric switch for dozens of elevator factories in south of China.
 - 2004: Selling CEDES products to Guangzhou OTIS company, became a supplier for OTIS.
 - 2005: Selling elevator overload to Hitachi in Guangzhou factories, became a supplier for Hitachi.
 - 2006: Became a supplier for OTIS Headquarter in U.S. and get a closer relationship with European OTIS purchasing center.
 - 2007: Became the main supplier for Global Thyssenkrupp group, Thyssenkrupp companies in Latin America are very satisfied with our quality and service.
 - 2008: Became a supplier for Schindler Group in South of American.
 - 2009: Established good business relationship with branches of Thyssenkrupp in Middle East.
 - 2010: Became one of spare parts suppliers for KONE elevator Middle East.
 - 2011: OTIS Elevators in Middle East are very satisfied with our quality and service.
 - 2012: took part in the World Elevator and Escalator EXPO 2012 In Guangzhou China, and becoming a good partner with Thyssenkrupp Group in Southeast Asian & OTIS branches.
 - 2013: Elevator Customers from all over the world visited us, included client from Russia.
 - 2014-4: Attended PAK-CHINA BUSINESS FORUM 2014, get a closer investigation in Pakistan elevator market, visited some famous buildings with local companies, obtain a completed success.
 - 2014-5: We are going to take part in the World Elevator & Escalator Expo 2014, our booth No. is 5101.
- We have concentrated on spare parts for elevator/escalator/movinawalk for 15 years.

家用电梯

Home Elevator

适用范围

The product use range

- 独立别墅
Independent villa
- 新建安装
Newly-built installation
- 室内安装
Indoor installation
- 联体别墅
Townhouse
- 老房加装
Reinstallation to the old house

Home elevator technical specification

| 载重量 (kg) | 250 | | 320 | | 400 | |
|------------------------|------|------|------|------|------|------|
| 开门方式 | 中分门 | 旁开门 | 中分门 | 旁开门 | 中分门 | 旁开门 |
| 额定速度 (m/s) | 0.4 | | | | | |
| 开门宽度 (mm) | 700 | 700 | 750 | 800 | 750 | 800 |
| 开门高度 (mm) | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| 轿厢尺寸 Car size (mm) | 宽 | 800 | 800 | 900 | 900 | 900 |
| | 深 | 950 | 950 | 1000 | 1000 | 1100 |
| 井道尺寸 Well size (mm) | 宽 | 1750 | 1500 | 1850 | 1600 | 1850 |
| | 深 | 1450 | 1500 | 1500 | 1500 | 1550 |
| 顶层高度 (mm) | 3500 | 3500 | 3500 | 3500 | 3500 | 3500 |
| 底坑深度 (mm) | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| 最大停站数 (层) | 5 | 5 | 5 | 5 | 5 | 5 |
| 最大提升高度 (m) | 12 | 12 | 12 | 12 | 12 | 12 |

节能

Energy-saving

智能

Intellectual

精巧


Fine and exquisite

自由

Free

环保

Environmental friendly



关心家人的健康与舒适

We care the comfortable and healthy conditions of your family.



无机房集约设计
“家电式”节能理念

The concept of energy-saving electric home appliance style with intensive machine room-less design

最新无机房创新设计理念

Latest design concept of machine room-less

突破传统方式，采用无机房创新设计理念，以更紧凑灵巧的完美结构，为建筑有限空间提供了更灵活的自由选择。

自动扶梯 Escalator




重型扶梯
Heavy-duty escalator



大高度扶梯
Large height escalator



倾斜双圆弧自动人行道
Inclined double-arc moving walk



倾斜自动人行道
Inclined moving walk



| 扶梯/人行自动扶梯表 | | |
|--|--|-------------------|
| 自动扶梯规格/人行道 (室内) Escalator/Autowalk standard configuration (Indoor) | ●标准规格 Standard specification ●选用 Selective configuration | ●规格 Specification |
| 扶手带 Handrail | 合成橡胶 (黄色) Synthetic rubber(back) 其它颜色 Other colors | ● |
| 扶手支架 Handrail guide rail | 发纹不锈钢 Hairline stainless steel | ● |
| 护壁板 Balustrade | 无色透明钢化玻璃 Colorless transparent tempered safety glass 有色透明钢化玻璃 Colored transparent tempered safety glass | ● |
| 内外盖板 Inner and outer deck | 发纹不锈钢 Hairline stainless steel 减磨涂层钢板 (黑色) Anti-wear coating steel plate (back) | ● |
| 围裙板 Skirting | 发纹不锈钢 Hairline stainless steel 不锈钢 (黄色) Stainless steel (back) | ● |
| 梯级 Step | 高强度铝合金整体压铸 (银灰色或黑色) High intensity aluminum alloy integrated die-casting/silver gray or black | ■ |
| 梳齿 Comb | 合成树脂 (黄色) Synthetic resin yellow 压铸铝 Die-casting aluminum | ■ |
| 前导板 Frontline plate | 抛光不锈钢 Etched stainless steel 冲孔不锈钢 Punched stainless steel | ● |
| 桁架 Truss | 型材 Section materials | ● |



缓冲器 Oil buffer

AF-OH210 AF-OH20 AF-OH210 AF-OH275 AF-OH16 AF-OH220 AF-OH175 AF-OH10 AF-OH80 AF-OH65 AF-OH70

| 油压 Oil buffer | | | | | | | | | |
|---------------|-------------|--------------------|----------------------|-------------|---------------|----------|----------|--------|--|
| 型号 | Rated speed | Bufferweight range | Pillar gully riuting | Preel state | Oil is needed | A*B (mm) | a*b (mm) | C (mm) | |
| AF-OH10 | ≤1.0 | 300-2500 | 100 | 388 | 0.48 | 150*90 | 150*90 | 14 | |
| AF-OH16 | ≤1.6 | 700-5300 | 175 | 625 | 1.7 | 270*150 | 210*100 | 18 | |
| AF-OH20 | ≤2.0 | 1000-5300 | 290 | 915 | 2.6 | 270*160 | 210*100 | 18 | |
| AF-OH80 | ≤1.0 | 600-3000 | 80 | 313 | 0.33 | | | | |
| AF-OH175 | ≤1.6 | 600-3000 | 175 | 510 | 0.6 | | | | |
| AF-OH210 | ≤1.75 | 700-3000 | 210 | 600 | 0.8 | | | | |
| AF-OH65 | ≤0.63 | 500-4600 | 65 | 350 | 0.42 | | | | |
| AF-OH25 | ≤2.5 | 820-3600 | 425 | 1128 | 2.2 | | | | |
| AF-OH70 | ≤1.0 | 300-2500 | 70 | 305 | 0.48 | | | | |
| AF-OH220 | ≤1.75 | 600-2500 | 225 | 780 | 1.3 | | | | |
| AF-OH275 | ≤2.0 | 800-3800 | 275 | 790 | 1.5 | | | | |

轿厢 Cabin



AF-12-62

- ▶ 轿顶：玫瑰金镜面，暗藏灯带，艺术吊灯
侧壁和后壁：木质艺术墙纸，实木，玫瑰金，大理石，不锈钢组合
扶手：实木单管扶手
轿底：大理石拼花地板
Cabin roof: rose gold mirror, hidden lamp, art chandelier
Lateral wall and back wall: wooden art wallpaper, solid wood, rose gold color, marble, stainless steel assembly
Handrails: solid wood single tube handrails.
Floor: marble parquet floor.



AF-05-7

- 轿顶：宽幅拱形白色透光板的柔光照明设计
侧壁和后壁：
中心板：镜面，发纹，蚀刻，钛金，和纹
辅助板：发纹，蚀刻，钛金，和纹
扶手：圆木与钛金组合单管扶手
轿底：2mm厚PVC大理石纹地板
Cabin roof: soft lighting design, wide arched white translucent
Lateral wall and back wall:
Center plate: mirror, hairline, etching titanium finish, and grain finish
Auxiliary board: mirror, hairline, etching finish, titanium, and grain finish
Handrails: single pipe handrails, combined with round wood titanium.
Floor: 2 mm PVC marble floor



AF-12-94

- ▶ 轿顶：镜面不锈钢，圆形有机透明灯罩，白色有机板组合
侧壁和后壁：中心板：镜面不锈钢
发纹蚀刻
扶手：圆木不锈钢加钛金组合扶手
轿底：2mm厚PVC大理石纹地板或大理石拼花
辅助板：发纹蚀刻
cabin roof: mirror stainless steel, rounded organic transparent lamp-post, combined with white organic plate
Lateral wall and back wall: center plate: mirror stainless steel, hairline etching finish
Assist board: hairline etching finish
Handrails: round stainless steel with titanium composite handrails.
Floor: 2 mm PVC marble or marble parquet floor

电梯配件

Elevator Parts

控制柜Controller



SETP控制柜




NICE3000



NICE1000

| 控制柜/Elevator Controller | | |
|-------------------------|------------------------|-------------------|
| 图号 | 名称 | NAME |
| AF-C001 | 新时达 (STEP) 控制柜 (2.2kw) | iASTAR CONTROLLER |
| AF-C002 | 新时达 (STEP) 控制柜(3.7kw) | iASTAR CONTROLLER |
| AF-C003 | 新时达 (STEP) 控制柜(5.5kw) | iASTAR CONTROLLER |
| AF-C004 | 新时达 (STEP) 控制柜(7.5kw) | iASTAR CONTROLLER |
| AF-C005 | 新时达 (STEP) 控制柜(11kw) | iASTAR CONTROLLER |
| AF-C006 | 新时达 (STEP) 控制柜(15kw) | iASTAR CONTROLLER |
| AF-C007 | 新时达 (STEP) 控制柜(18.5kw) | iASTAR CONTROLLER |
| AF-C008 | 新时达 (STEP) 控制柜(2.2kw) | iASTAR CONTROLLER |
| AF-C009 | 新时达 (STEP) 控制柜(30kw) | iASTAR CONTROLLER |

| 真纳克控制柜 | | |
|---------|---------------|----------|
| 图号 | 控制柜 | NICO1000 |
| AF-C020 | 控制柜 | NICO1000 |
| AF-C021 | 控制柜(7.5-30kw) | NICO3000 |



AF-QD001 AF-QD005D AF-CD005 AF-CD007 AF-CD010 AF-HL001



AF-QD002 AF-CD002 AF-QD005 AF-HL003 AF-HQ001 AF-HL002

接触器Contactor

| 图号 | A-FLY ID | 名称 | Name | 单位尺寸 (mm) | 重量 (Kg) | 备注 |
|---------------|-------------|-------|-----------|---------------|---------|---------------------------|
| SC-E2 | AF-FT140028 | 接触器 | contactor | 95*60*104 | | 220V |
| SC-E02 | AF-FT140029 | 接触器 | contactor | 82*50*87 | | 220V-230V |
| SZ-AS1 | AF-FT140030 | 继电器 | Relay | 59*45*12 | | |
| 3TF42 (2ZE) | AF-QT00188 | 接触器 | contactor | L83*W45*H145 | 0.67 | |
| CXK4-6511Z | AF-QT10042 | 接触器 | contactor | 109*168*171 | 2.5 | |
| SH-4/G | AF-QT10083 | 接触器 | contactor | 82*45*11 | 0.43 | |
| GMC-40 | AF-LG40139A | 接触器 | contactor | 137*85*122 | 2.45 | AC110V/220V |
| GMC-32 | AF-LG40139B | 接触器 | contactor | | | AC110V/220V |
| GMC-18 | AF-LG40139C | 接触器 | contactor | 90*80*45 | | AC110V/220V |
| GMD-50 | AF-LG40149B | 接触器 | contactor | 137*85*122 | | 110VDC 40A |
| GMC-85 | AF-LG40149C | 接触器 | contactor | | | |
| GMC-22 | AF-LG40252B | 接触器 | contactor | 82*45*87 | | 110V |
| LC1-D4011 | AF-LG40346 | 接触器 | contactor | L140*H110*W80 | 1.5 | 18.5KW 60A DC48V |
| GMD-40 | AF-LG40418A | 接触器 | contactor | 124*84*71 | | 119VDC |
| GMD-18 | AF-LG40418B | 接触器 | contactor | 124*84*71 | | DC110V |
| GMD-32 | AF-LG40418C | 接触器 | contactor | 120*85*60 | 1 | DC48V |
| GMD-40 | AF-LG40418E | 接触器 | contactor | | | DC110V |
| MRG-62E | AF-SC30152 | 接触器 | contactor | L95*W50*H120 | 0.65 | 6A DC=80V/40V |
| CF21 | AF-SC30153 | 接触器 | contactor | | 0.1 | 31Z 80V/22V |
| AEG 31Z | AF-SC30153A | 接触器 | contactor | L45*W45*H42 | 0.15 | SH04 80VDC.550596 |
| 3TH20 82-0G68 | AF-SC30268A | 接触器 | contactor | 35*40*37.5 | | 22Z |
| Mg5 | AF-SC30149 | 接触器 | contactor | 89*75*128 | 1.5 | MAX-20KW 40A/DC=80V/40V |
| Mg6 | AF-SC30150 | 接触器 | contactor | L100*W85*H150 | 1.7 | MAX-20KW 40A DC=80V |
| Mg17 | AF-SC30151 | 接触器 | contactor | L113*W95*H178 | 2.55 | 80A DC=80V |
| 3TH40 | AF-SC30505 | 接触器 | contactor | 87*82*50 | 0.3 | 23Z |
| 3TH40 | AF-SC30505A | 接触器 | contactor | 87*82*50 | 0.3 | AC120V. 33E |
| 3TH42 | AF-SC30506 | 接触器 | contactor | 105*82*50 | 0.4 | 44E |
| 3TH42 | AF-SC30506A | 接触器 | contactor | 105*82*50 | 0.4 | AC120V. 62E |
| 3TF30 | AF-SC30507A | 接触器 | contactor | 87*82*50 | 0.3 | AC120V. 10E |
| 3TF33 | AF-SC30507B | 接触器 | contactor | 110*95*65 | 0.4 | AC120V. 11E |
| LC1D18 | AF-SC30508 | 接触器 | contactor | 80*92*50 | 0.53 | DC110V 可替代7P1D 1810 |
| LC1D12 | AF-SC30509 | 接触器 | contactor | 80*92*50 | | |
| LC1D40 | AF-SC30539 | 接触器 | contactor | 155*140*60 | 1.01 | DC110V |
| LADN22 | AF-SC30565 | 接触器 | contactor | 44*37*47 | 0.06 | |
| LC1D12 | AF-SC30566 | 接触器 | contactor | 80*92*50 | 0.53 | DC110V |
| SD-N21 | AF-MI10083 | 接触器 | contactor | 63*82*116 | 0.7 | DC120-125V.32A |
| SD-N50 | AF-MI10085 | 接触器 | contactor | L63*W82*H117 | 0.8 | DC125V |
| SD-N65 | AF-MI10086 | 接触器 | contactor | L113*W95*H145 | 2.3 | DC125V.80A |
| SD-N80 | AF-MI10087 | 接触器 | contactor | | | DC48V |
| SRD-80 | AF-MI10296B | 接触器 | contactor | 165*115*178 | 3.2 | DC120-125V |
| SD-N95 | AF-MI20590 | 接触器 | contactor | | | |
| SRD-N8 | AF-MI20653 | 接触器 | contactor | | | DC120-120V |
| S-N25 | AF-MI10654 | 接触器 | contactor | | | 100V 50HZ. 100V-110V 60HZ |
| S-N35 | AF-MI10654A | 接触器 | contactor | | | 208-220V 50HZ. 220V 60HZ |
| S-N21 | AF-MI10654B | 接触器 | contactor | 101*131*160 | 3 | |
| H50 | AF-H20180A | 接触器 | contactor | 88*80*107 | 0.8 | AC110 |
| H35 | AF-H20180C | 接触器 | contactor | 88*83*107 | | AC110 |
| SC-4-1G | AF-H20247A | 接触器 | contactor | 55*77*110 | 0.6 | 110V |
| SC-N4 | AF-H20247C | 接触器 | contactor | 125*90*135 | 1.68 | 外包装155*130*165 |
| LADN22 | AF-K052055G | 接触器 | contactor | | | Km256751 |
| LC1D1810 | AF-K052055H | 接触器 | contactor | | | Km258413 |
| LC1D09M7C | AF-QT10122 | 接触器 | contactor | 45*85*71 | 0.34 | |
| LADARCU | AF-QT10123 | 接触器 | contactor | 72*10*10 | 0.05 | 220V |
| SRD-N4 | AF-MI10819 | 接触器 | contactor | 85*55*115 | 0.62 | 48V |
| SD-N15 | AF-MI1084C | 接触器 | contactor | | | AC220V/60A |
| S-N35 | AF-MI10654C | S-接触器 | contactor | | | 380V 50HZ. 380V 60HZ |
| LC1D80 | AF-SC30458 | 接触器 | contactor | | | 110VAC 50A. 4110VDC 1800A |



电梯配件 Elevator Parts

▼ Inverter



AF-TY9076A



AF-TY9076B AF-TY9076C



AF-TY9077A AF-TY9078



AF-TY9077A AF-TY90141B



AF-TY9078 AF-TY90141B



AF-TY9078 AF-TY90141B



AF-TY9078 AF-TY90141B

| A-FLY ID | 名称 | Name | Model |
|------------|-------------|----------------------------------|----------------------------------|
| AF-TY9150A | | | AVY-3110-EBL-BR4 (11KW) |
| AF-TY9149C | | | AVY-3150-KBL-AC4 (15KW) |
| AF-TY9149D | | | AVY-3150-KBL-BR4 (15KW) |
| AF-QT1002B | | | AVY2075-KBL-BR4主驱 |
| AF-TY9157 | | | AVY4301-KBL-AC-0(30KW) |
| AF-TY9152 | GEFRAN变频器 | GEFRAN Inverter | AVY4371(37KW) |
| AF-TY9154 | | | AVY5450-KBL-AC4 |
| AF-TY9169 | | | SIEI AVY 5500 - 55 kW |
| AF-TY9170 | | | PG卡/分频卡(OMA4351ARE) |
| AF-TY9158 | | | AVS1150-XBL-BR4R/PI(用AVGL1150替代) |
| AF-TY9161B | FUJI变频器 | FUJI Inverter | FRNS.5KW-LIFT |
| AF-TY9161A | | | FRN7.5G115-8RP/PI(用SG15-4C+变频器) |
| AF-TY9076B | CHV180变频器 | CHV181 Inverter | DBU-055-4 |
| AF-TY9075 | 制动器 | Brake unit | CDBR-4045B |
| AF-TY9142G | | | CIMR-LB4A006FAA 30KW |
| AF-TY9142H | | | CIMR-LB4A0075FAA 37KW |
| AF-TY9142E | | | CIMR-LB4A0091AA 45KW |
| AF-TY9139A | V1000变频器 | V1000 Inverter | VB4A0018 V1000(5.5KW) |
| AF-TY9139B | V1000变频器 | V1000 Inverter | VB4A0023 V1000(11KW) |
| AF-TY9077B | | | 5.5kw EV 2000-480055G/0075P |
| AF-TY9077A | Ev2000变频器 | Ev2000 Inverter | 7.5kw EV2000-4T0075G/0110P |
| AF-TY9077C | | | 15kw EV2000-4T0110G/0150P |
| AF-TY9078 | Ev3000变频器 | Ev3000 Inverter | 15kw EV3000-4T0150G |
| AF-HI20402 | 日立变频器 | HITACHI Inverter | EV-ECD01-4T0150 15KW |
| AF-HI20403 | 日立变频器 | HITACHI Inverter | HTD31-4T0150E |
| AF-TY9079 | 合升变频器 | HITAKE Inverter | VFC-3600G2018P2-PG卡(18.5KW 220V) |
| AF-TH0043 | 门机变频器 | Door machine inverter | 门机变频器ATV312H037M2 |
| AF-HD00036 | Hy1门机变频器 | Hy door machine inverter | SDC-200 |
| AF-TY9076D | | | CHV180-011G-4 220V 11KW |
| AF-TY9076E | | | CHV180-018G-2 380V 18KW |
| AF-TY9076F | CHV180变频器 | CHV180 Inverter | CHV180-018G-2 220V 18.5KW |
| AF-TY9076C | | | CHV180-018G-4 380V 18.5KW |
| AF-TY9076G | | | CHV180-030G-2 380V 30KW |
| AF-TY9074 | F5变频器 (FEB) | F5 Inverter(FEB) | F5-30KW & 380V (PG卡) FEB |
| AF-QT00682 | UPS三相应急装置 | UPS 3-phase emergency power unit | UPS 3C3-30KS |
| AF-QT00683 | 电池柜 C-32 | Battery cabinet C-32 | 电池柜 (带连接线) C-32 |
| AF-TY9159F | QMA变频器 | QMA Inverter | 蓄电池 (12V 100AH) |
| AF-TY9159C | QMA变频器 | QMA Inverter | QMA 18.5KW 200V |
| AF-TY9159D | QMA变频器 | QMA Inverter | QMA 30KW 200V |
| AF-TY9159E | 制动单元 | Brake unit | QMA 30KW制动单元 |
| AF-TY9166 | | | AVY2055-KBL-AC-4 (5.5KW) |
| AF-TY9167 | | | AGY2075-KBL-AC-4(7.5KW) |
| AF-TY9155 | GEFRAN变频器 | GEFRAN Inverter | AGY-EV3150-KBX-4 (15KW) |
| AF-TY9151B | | | AVY-2075-KBL-AC4 (7.5KW) |
| AF-TY9151A | | | AVY-2075-KBL-BR4 (7.5KW) |
| AF-TY9150C | GEFRAN变频器 | GEFRAN Inverter | AVY-3110-KBL-AC4 (11KW) |
| AF-TY9150D | GEFRAN变频器 | GEFRAN Inverter | AVY-3110-KBL-BR4 (11KW) |
| AF-TY9159A | QMA变频器 | QMA Inverter | Q-7000-EL |
| AF-TY9076A | CHV180变频器 | CHV180 Inverter | DBU-055-2 |

召唤箱/操纵箱COP/HOP

| A-FLY ID | 名称/Name | Model | STOP | 尺寸/Size | L1 | L2 | L3 |
|-----------|-----------------|-----------|-------|------------------|------|------|-----|
| AF-HOP70 | 操纵箱/操纵箱/COP/HOP | AF-HOP70 | 2-12 | 180*160*90*65*20 | 1200 | 1160 | 465 |
| AF-HOP63A | 操纵箱/操纵箱/COP/HOP | AF-HOP63A | 13-22 | | 1400 | 1360 | 565 |
| AF-HOP68 | 操纵箱/操纵箱/COP/HOP | AF-HOP68 | 23-32 | | 1650 | 1610 | 690 |
| | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1160 | 465 |
| AF-HOP61S | 操纵箱/操纵箱/COP/HOP | AF-HOP61S | 13-32 | 166*150*30*65*20 | 1400 | 1360 | 565 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 690 |
| AF-HOP62 | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1160 | 465 |
| | 操纵箱/操纵箱/COP/HOP | AF-HOP62 | 13-22 | 180*160*30*65*10 | 1400 | 1360 | 565 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 690 |
| | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1140 | 455 |
| AF-HOP64 | 操纵箱/操纵箱/COP/HOP | AF-HOP64 | 13-22 | 180*160*30*65*40 | 1400 | 1340 | 555 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 680 |
| | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1160 | 465 |
| AF-HOP65 | 操纵箱/操纵箱/COP/HOP | AF-HOP65 | 13-22 | 176*160*30*65*20 | 1400 | 1360 | 565 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 690 |
| | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1160 | 465 |
| AF-HOP66 | 操纵箱/操纵箱/COP/HOP | AF-HOP66 | 13-22 | 166*150*30*65*30 | 1400 | 1360 | 565 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 690 |
| | 操纵箱/操纵箱/COP/HOP | | 2-12 | | 1200 | 1160 | 465 |
| AF-HOP63 | 操纵箱/操纵箱/COP/HOP | AF-HOP63 | 13-22 | 180*160*30*65*30 | 1400 | 1360 | 565 |
| | 操纵箱/操纵箱/COP/HOP | | 23-32 | | 1650 | 1610 | 690 |
| AF-HOP42 | 操纵箱/操纵箱/COP/HOP | AF-HOP42 | 2-12 | | 1200 | 1160 | 465 |
| AF-HOP67 | 操纵箱/操纵箱/COP/HOP | AF-HOP67 | 13-22 | 170*150*30*65*20 | 1400 | 1360 | 565 |
| AF-HOP69 | 操纵箱/操纵箱/COP/HOP | AF-HOP69 | 23-32 | | 1650 | 1610 | 690 |
| AF-HOP51 | 操纵箱/操纵箱/COP/HOP | AF-HOP51 | | | | | |
| AF-HOP52 | 操纵箱/操纵箱/COP/HOP | AF-HOP52 | | | | | |
| AF-HOP53 | 操纵箱/操纵箱/COP/HOP | AF-HOP53 | | | | | |
| AF-HOP54 | 操纵箱/操纵箱/COP/HOP | AF-HOP54 | | | | | |
| AF-HOP71 | 操纵箱/操纵箱/COP/HOP | AF-HOP71 | | | | | |

| A-FLY ID | 名称/Name | 型号/Model | 尺寸/Size |
|-----------|-------------|-----------|----------|
| AF-HL001 | 显示板/DISPLAY | AF-HL001 | 86*165 |
| AF-HL002 | 显示板/DISPLAY | AF-HL002 | 80*157 |
| AF-HL003 | 显示板/DISPLAY | AF-HL003 | 75*90 |
| AF-HQ001 | 显示板/DISPLAY | AF-HQ001 | 86*165 |
| AF-QD001 | 显示板/DISPLAY | AF-QD001 | 46.4*110 |
| AF-QD002 | 显示板/DISPLAY | AF-QD002 | 46.4*110 |
| AF-QD005 | 显示板/DISPLAY | AF-QD005 | 80*160 |
| AF-QD005D | 显示板/DISPLAY | AF-QD005D | 80*160 |
| AF-CD002 | 显示板/DISPLAY | AF-CD002 | |
| AF-CD005 | 显示板/DISPLAY | AF-CD005 | |
| AF-CD007 | 显示板/DISPLAY | AF-CD007 | |
| AF-CD010 | 显示板/DISPLAY | AF-CD010 | |



AF-HOP53



AF-HOP54



AF-HOP63

AF-HOP62



AF-HOP61S

AF-HOP65



AF-HOP42

AF-HOP68



AF-HOP64

AF-HOP69



AF-HOP66

AF-HOP67



AF-HOP80

AF-HOP63A

电梯配件 Elevator Parts

编码器 Encoder



| A-FLY ID | 型号/Name | 型号/Model | Factory ID |
|----------|---------|----------------------------|----------------------|
| EEC00080 | | ECN1313-2048-62512-78 | 327179 |
| EEC00082 | | ECN1313-2048-62512-78-M6 | 586643-03 |
| EEC00092 | | T52615N141E78 | |
| EEC00093 | | T52208N122 | G510468 |
| EEC00097 | | T52208N23 | G49031 |
| EEC00098 | | T52208N130 | Gx51300 |
| EEC00099 | | T52208N143 | CM100-1024K/T-L3-SV |
| EEC00106 | | T52239N572 | X37354 |
| EEC00113 | | T52246N160 | A27460 |
| EEC00117 | | T52246N167 | |
| EEC00119 | | T52246N468 | 890477 |
| EEC00121 | | T52246N478 | X96847 |
| EEC00136 | | SBH-0512-2T(X65AC-20) | |
| EEC00141 | | X65AC-10 | |
| EEC00182 | | EL1004-00C-10248R30Y1 | 1024磁/17-30V 30mm) |
| EEC00199 | | SBH-0512-2T3-30X65AC-20) | |
| EEC00200 | | TRD-11000-RZ | |
| EEC00201 | | SBH2-1024-2T | |
| EEC00233 | | SBH2-1024-2T | DA63301 |
| EEC00238 | | SZ830-1024RM-311 | AA63311 |
| EEC00240 | | AA63311 | |
| EEC0241 | | EB13187 | |
| EEC00244 | | T52246N555 | A845798 |
| EEC00258 | | LBJ-085-1000 | 315608352 |
| EEC00266 | | ECN1313 2048 5M16-78 | 586643-19 |
| EEC00287 | | 8058-02200084317M5 | 523786 |
| EEC00292 | | ICN413 2048 16515-58 M11 | 586645-52 |
| EEC00293 | | AA68321 | |
| EEC00294 | | C50-T-5008NF-ZLX531A | 1113000142/110900452 |
| EEC00295 | | K740-1024R-1806 | |
| EEC00296 | | MA2100058Aa-01 | 593802 |
| EEC00297 | | X65AC-08 | |
| EEC00298 | | AA61341 | |
| EEC00299 | | WDZ10030-4096F-30J | |
| EEC00300 | | T52246N575 | DA633K4E8A |
| EEC00301 | | T52246N574 | DA633K3E8A |
| EEC00302 | | PRT1340-1024-C15C | |
| EEC00303 | | ZKTH3808-1024-G10-30F | |
| EEC00304 | | ZKTH3808-1024-G10F | JA00633AA001 |
| EEC00305 | | T52378N182-16 | |
| EEC00306 | | SH100A30-512P30T | |
| EEC00307 | | HS58H-0512-20J | 865AC-39 |
| EEC00308 | | 8F538192E190A | SN-292966/291589 |
| EEC00309 | | 8.5000.0000.1024.5007.0045 | KMP5078611 |
| EEC00309 | | SBH-4096-6M0 | 865AC-22 |
| EEC00310 | | IR5250-5000-356 | |
| EEC00311 | | ZL-2008 2 005492R-8 | 593802 |
| EEC00312 | | A-ZKT-0120H25-11.28-C12F | 865AC-11 |
| EEC00314 | | T52239M627 | |
| EEC00315 | | ENR13214096A2512-30 | 586643-19 |
| EEC00316 | | ENR13214096A2512-30 | 523786 |
| EEC00317 | | RF181302/EL1800 | 586643-19 |
| EEC00318 | | T52378M13 | 523786 |
| EEC00321 | | T52313M413 | 586643-19 |
| EEC00322 | | EL100404-10248R30Y1 | 523786 |
| EEC00323 | | GC6A31A1 | 586643-19 |
| EEC00326 | | U24889G-10488M-C526 | 523786 |
| EEC00327 | | RF181302/010087 | 586643-19 |
| EEC00328 | | ZL-2008 2 005492R-8 | 523786 |
| EEC00329 | | H40-8-050020 | 586643-19 |
| EEC00330 | | 8.5000.0000.1024.5006.0070 | 523786 |
| EEC00331 | | Ag14 12690-Dn-2048 | 586643-19 |
| EEC00332 | | EL1004H5-10248R30Y1 | 523786 |
| EEC00333 | | SN100A52-21024-517M | 586643-19 |
| EEC00336 | | EN058-1024-6-0-5 | 523786 |
| EEC00337 | | R7670/1,0000AH-4N42KX-5 | 586643-19 |
| EEC00339 | | D85-H-1024R4C34R6L45S707A | 523786 |
| EEC00340 | | S48-8-006020 | 586643-19 |
| EEC00341 | | AA62020R3 | 523786 |
| EEC00349 | | T52208N103 | 586643-19 |
| EEC00351 | | NOF-58000-50 | 523786 |

曳引机 Traction machine




AF-Y001-Y003



AF-Y007-Y010




AF-Y011(Y012)



AF-Y004-Y008

| A-FLY ID | 名称 | NAME | 型号/model | 速度 | 额定功率/kw | 速度比 | Technical parameter | | | |
|----------|-------|---------------------------|----------|------|-----------|-----|---------------------|----------|-------|--------|
| | | | | | | | 曳引轮直径/mm | 曳引轮绳径/mm | 绳径/mm | 绳速/m/s |
| AF-Y001 | 普通曳引机 | Elevator traction machine | AFYJ80 | 100 | 1.1KW-6P | 1:1 | Φ8x2 | Φ320 | 40.1 | 0.4 |
| AF-Y002 | 普通曳引机 | Elevator traction machine | AFYJ80 | 200 | 1.5KW-6P | 1:1 | Φ8x2 | Φ320 | 40.1 | 0.4 |
| AF-Y003 | 普通曳引机 | Elevator traction machine | AFYJ80 | 300 | 2.5KW-6P | 1:1 | Φ8x3 | Φ320 | 40.1 | 0.4 |
| AF-Y004 | 双速曳引机 | Elevator traction machine | AFYJ50K | 500 | 5.5KW-6P | 1:1 | Φ10x4 | Φ385 | 49.1 | 0.4 |
| AF-Y005 | 双速曳引机 | Elevator traction machine | AFYJ50K | 500 | 5.5KW-6P | 1:1 | Φ10x4 | Φ485 | 49.2 | 1 |
| AF-Y006 | 双速曳引机 | Elevator traction machine | AFYJ50K | 630 | 6.4KW-6P | 1:1 | Φ10x4 | Φ485 | 49.2 | 1 |
| AF-Y007 | 普通曳引机 | Elevator traction machine | AFYJ210 | 800 | 6KW-6P | 1:1 | Φ13x5 | Φ550 | 55.2 | 1 |
| AF-Y008 | 普通曳引机 | Elevator traction machine | AFYJ210 | 1000 | 11KW-6P | 1:1 | Φ13x5 | Φ550 | 55.2 | 1 |
| AF-Y009 | 普通曳引机 | Elevator traction machine | AFYJ210 | 2000 | 11KW-6P | 2:1 | Φ13x5 | Φ590 | 59.2 | 0.5 |
| AF-Y010 | 普通曳引机 | Elevator traction machine | AFYJ210 | 1000 | 7.5KW-6P | 1:1 | Φ13x5 | Φ590 | 59.1 | 0.5 |
| AF-Y011 | 普通曳引机 | Elevator traction machine | AFYJ250B | 3000 | 15KW-6P | 2:1 | Φ16x5 | Φ640 | 63.2 | 0.5 |
| AF-Y012 | 普通曳引机 | Elevator traction machine | AFYJ250B | 1600 | 15KW-6P | 1:1 | Φ16x5 | Φ640 | 63.2 | 1 |
| AF-Y013 | 普通曳引机 | Elevator traction machine | AFYJ300 | 5000 | 18.5KW-6P | 2:1 | Φ16x5 | Φ730 | 73.1 | 0.25 |
| AF-Y014 | 普通曳引机 | Elevator traction machine | AFYJ300 | 5000 | 25KW-6P | 2:1 | Φ16x5 | Φ730 | 73.2 | 0.5 |
| AF-Y015 | 普通曳引机 | Elevator traction machine | AFYJ210A | 630 | 5.5KW-6P | 1:1 | Φ13x5 | Φ590 | 59.1 | 0.5 |
| AF-Y016 | 普通曳引机 | Elevator traction machine | AFYJ210A | 1000 | 7.5KW-6P | 1:1 | Φ13x5 | Φ590 | 59.1 | 0.5 |
| AF-Y017 | 普通曳引机 | Elevator traction machine | AFYJ210A | 1500 | 11KW-6P | 1:1 | Φ13x5 | Φ590 | 59.1 | 0.5 |
| AF-Y018 | 普通曳引机 | Elevator traction machine | AFYJ210A | 2000 | 11KW-6P | 2:1 | Φ13x5 | Φ590 | 59.2 | 0.5 |
| AF-Y019 | 普通曳引机 | Elevator traction machine | AFYJ250K | 3000 | 15KW-6P | 2:1 | Φ13x6 | Φ610 | 63.2 | 0.5 |
| AF-Y020 | 普通曳引机 | Elevator traction machine | AFYJ300A | 5000 | 18.5KW-6P | 2:1 | Φ16x6 | Φ730 | 73.1 | 0.25 |
| AF-Y021 | 群控曳引机 | Elevator traction machine | AFYJ300A | 5000 | 22KW-6P | 2:1 | Φ16x6 | Φ730 | 73.2 | 0.5 |

门机Door operator



| A-FLY ID | 名称 | NAME | Technical parameter | Model |
|-----------------|------------|------------------------------|---------------------|-----------|
| AF-FMT130226A-D | 层门及门板中分 | Landing door unit with panel | OPM700-1000 | |
| AF-FMT130226E-H | 层门及门板旁开 | Landing door unit with panel | OPS700-1000 | |
| AF-FMT130227A-D | 门机中分 | Door operator(middle) | OPM700-1000 | |
| AF-FMT130227E-H | 门机旁开 | Door operator(side) | OPS700-1000 | |
| AF-WT12001A-D | 层门及门板中分 | Landing door unit with panel | OPM700-1000 | |
| AF-WT12001E-H | 层门及门板旁开 | Landing door unit with panel | OPS700-1000 | |
| AF-WT12050A-D | 门机及门板中分 | Door operator with panel | OPM700-1000 | |
| AF-WT12050E-G | 门机及门板旁开 | Door operator with panel | OPS700-1000 | |
| AF-MI10821A-D | 层门及门板 | Landing door unit with panel | OPM700-1000 | AF-161-26 |
| AF-MI10821E-H | 层门及门板 | Landing door unit with panel | OPS700-1000 | AF161-52 |
| AF-MI10822A-D | 门机及门板中分 | Door operator with panel | OPM700-1000 | |
| AF-MI10822E-H | 门机及门板旁开 | Door operator with panel | OPS700-1000 | |
| AF-MI10823A-E | 中分门机不含门板 | Door operator(middle) | OPM700-1100 | AF131-06 |
| AF-MI10824A-E | 中分门头(不含门板) | Landing door unit(M) | OPM700-1100 | |
| AF-MI10824F-J | 旁开门头(不含门板) | Landing door unit(S) | OPS700-1100 | |
| AF-MI10825A | 厅门/轿门 | Landing door /Car door | OP=800 | |
| AF-MI10825B | 厅门/轿门 | Landing door /Car door | OP=900 | |
| AF-MI10825C | 厅门/轿门 | Landing door /Car door | OP=900 | |
| AF-MI10826A | 铝踏板厅门 | Landing door sill | 旁开1100 | |
| AF-MI10826B | 铝踏板轿门 | Car door sill | 旁开1100 | |
| AF-MI10827A | 厅门地坎 | Landing door sill | 中分800 | |
| AF-MI10827B | 轿门地坎 | Car door sill | 中分800 | |
| AF-MI10828A | 护脚板 | Toe guard | 700-1000 | |

电缆Cable



TVVBG75-5



TVVB 60C*0.75+2G+4P



TVVB 36C



TVVB 24C



TVVB 24C*0.75+2G+2P



TVVB 12C



TVVB 24C*0.75+2*2P*0.75



RVV



RVV



TVVB8P-TV 36C*0.75+4P*0.75

| A-FLY ID | 型号/MODEL | 参数/Technical parameter |
|-------------|----------|-----------------------------|
| AF-ECB001-2 | | 3*0.75(单排)-4*0.75 |
| AF-ECB004-5 | | 5*0.75(单排)-6*0.75 |
| AF-ECB006 | (TVVB) | 9*0.75(单排) |
| AF-ECB007 | | 12*0.75(单排) |
| AF-ECB009 | | 16*0.75(单排) |
| AF-ECB010 | | 18*0.75(单排) |
| AF-ECB011 | TVVBG | 18*0.75(单排) |
| AF-ECB012 | (TVVB) | 20*0.75(单排) |
| AF-ECB014 | (TVVB) | 24*0.75(单排) |
| AF-ECB026 | (TVVB) | 30*0.75 |
| AF-ECB027 | TVVBG | 30*0.75 |
| AF-ECB028 | (TVVB) | 36*0.75 |
| AF-ECB029 | TVVBG | 36*0.75 |
| AF-ECB030 | (TVVB) | 40*0.75 |
| AF-ECB031 | TVVBG | 40*0.75 |
| AF-ECB032 | (TVVB) | 42*0.75 |
| AF-ECB033 | TVVBG | 42*0.75 |
| AF-ECB034 | (TVVB) | 48*0.75 |
| AF-ECB035 | TVVBG | 48*0.75 |
| AF-ECB036 | (TVVB) | 60*0.75 |
| AF-ECB037 | TVVBG | 60*0.75 |
| AF-ECB038 | (TVVB) | 66*0.75 |
| AF-ECB039 | TVVBG | 66*0.75 |
| AF-ECB098 | TVVBPG | 60*0.75+2*2P*0.75 |
| AF-ECB099 | ETP | 8*2*20AWG |
| AF-ECB100 | ETP | 10*14AWG+48*18AWG+8*2*20AWG |
| AF-ECB101 | ETP | 8*14AWG+40*18AWG+8*2*20AWG |
| AF-ECB103 | | 2*1*75-5 |
| AF-ECB104 | TVVBG-TV | 12*0.75+75-5 |
| AF-ECB105 | | 18*0.75+75-5 |
| AF-ECB106 | TVVBG-TV | 20*0.75+75-5 |
| AF-ECB107 | TVVB-TV | 24*0.75+75-5 |
| AF-ECB108 | TVVBG-TV | 24*0.75+75-5 |
| AF-ECB109 | TVVBG-TV | 24*0.75+3*2.5+75-5 |
| AF-ECB111 | TVVB-TV | 30*0.75+75-5 |
| AF-ECB112 | TVVBG-TV | 30*0.75+75-5 |
| AF-ECB113 | TVVBG-TV | 36*0.75+75-5 |
| AF-ECB114 | TVVB-TV | 36*0.75+75-5 |
| AF-ECB115 | TVVB-TV | 40*0.75+1*1.5+75-5 |
| AF-ECB116 | TVVBG-TV | 40*0.75+1*1.5+75-5 |
| AF-ECB122 | TVVBG-TV | 60*0.75+75-5 |

74 滚轮系列

Roller Series



| A-FLY ID | 中文名 | NAME | Factory id | 尺寸/Size(mm) |
|-------------|--------|---------------------------|------------|--------------------------|
| AF-SC30481 | 梯级轮 | Escalator skeleton roller | | D70*25*6204-2RS |
| AF-SC30482 | 梯级轮 | Step roller | | 蓝色(blue) D76*25*6204-2RS |
| AF-SC30527 | 轮子 | Elevator Trust roller | 962156 | D34*19*608-2Z |
| AF-SC30540A | 梯级轮 | Step roller | 405020 | D76*25*6204RZ |
| AF-SC30542 | 门钢丝绳轮 | Door rope roller | | D46*12.3*6001-2Z |
| AF-SC30550 | 轮子 | Roller | 968927 | D74.3*19.2*6203 |
| AF-SC30731 | 导向轮 | Guide roller | | D98*30*6204 |
| AF-SC30732B | 导向轮 | Guide roller | | D75*35*6204 |
| AF-SC30737B | 多楔带轮带轴 | V-belt roller w/axle | | D87*70*6204*2轴 |
| AF-SC30752 | 皮带轮 | Belt roller | | D75*29*6203*孔37 |
| AF-SC30770 | 托轮 | Support roller | | D70*50*6204 |
| AF-SC30771 | 托轮 | Support roller | | D97*20*6204*2 |
| AF-SC30772 | 轮子 | Roller | | D75*18.6*6203 |
| AF-SC30431A | 梯级轮 | STEP ROLLER | | D80*28*6204(双) |
| AF-SC30567 | 多楔带轮 | V-belt roller | | D87*70*6204*2轴 |
| AF-SC30568 | 皮带轮 | Belt roller | 505712 | D320*55*轴27 |
| AF-SC30569 | 曲柄轮 | Roller | | D320*70*轴内径42 |
| AF-SC30596 | 导向辊轮 | Guide roller | | D85*35*6204RZ |
| AF-T060025 | 梯级链轮 | step chain roller | | D120*H30*6204 |
| AF-T060026 | 梯级链轮 | step chain roller | | D70*36*6202(双) |
| AF-T060028 | 滚轮 | Roller | | D80*6302ZZNSK |
| AF-T060032 | 带轴门挂轮 | Hanger roller w/axle | U槽 | D60*35*16*6203Z |
| AF-T060032A | 门挂轮 | Hanger roller | U槽 | D60*16*6203Z |
| AF-T060032B | 门挂轮 | Hanger roller | 平槽 | D60*16*6203Z |
| AF-T060040 | 铝导轨轮 | Alu guide roller | | D90*25*15*6302 |
| AF-T060053 | 门挂轮 | Hanger roller | | D72*16(14)*6203 |
| AF-HD00003A | 梯级轮 | STEP ROLLER | | D76*H22*6203RS |
| AF-HD00003B | 梯级轮 | STEP ROLLER | | D85*H42*6204RS |
| AF-HD00003C | 梯级轮 | STEP ROLLER | | D135*H35 |
| AF-HD00068 | 梯级轮 | STEP ROLLER | | D75*25*6204 |
| AF-HD00074 | 梯级背架轮 | Step skeleton roller | | D76*25*6204 |
| AF-HD00061 | 偏心门挂轮 | Eccentric Hanger roller | | D50*14*6201 |
| AF-OT80051 | 双槽消滚 | door hanger roller | | D140*820*4204 |
| AF-OT80052 | 门挂轮 | DOOR HANGER ROLLER | | D85*20*6204 |
| AF-OT80170 | 多楔带轮 | V-belt roller | | D70*60*6204*2 |
| AF-OT80234A | 轮 | Roller | FAA198AB1 | D54*W54*H22 |
| AF-OT80234B | 滚轮 | Guide roller | FAA456X1 | D56*W56*H16 |
| AF-OT80234C | 滚轮 | Guide roller | FAA456AC1 | D56*W56*H16 |
| AF-OT80271 | 门挂轮 | Hanger roller | | D50*16*6200RZ |
| AF-OT80274 | 门挂轮 | Hanger roller | FAA5394A50 | D56*16*FAA456X1 |
| AF-OT80275 | 门挂轮 | Hanger roller | | D62*16*6203ZZ |
| AF-OT80276 | 门挂轮 | Hanger roller | 白色 | D56*16*16*FAA456AC |
| AF-OT80277 | 钢丝绳轮 | Door rope roller | | D54*22*19*FAA198AB |



AF-LG40319C



AF-SC30650



AF-SC30453B



AF-OT80512



AF-T060032



AF-K050104H



AF-TH70020



AF-OT80274

| A-FLY ID | 中文名 | NAME | Factory id | 尺寸/Size(mm) |
|-------------|---------|----------------------------|-------------|----------------------|
| AF-OT80282 | 梯级链轮 | Step chain roller15mm | GO290AJ11 | D76.5*34*22*6004RS |
| AF-OT80282A | 梯级链轮 | Step chain roller12.7mm | GO290AJ11 | D76.5*34*22*6203RS |
| AF-OT80324 | 梯级轮 | Step roller | | 蓝色 D76*20*6203-2RS |
| AF-OT80324A | 梯级轮 | Step roller | | 蓝色 D76*21.5*6204-2RS |
| AF-OT80404 | 扶梯托轮 | Support roller | | D50*55*6203双 |
| AF-OT80407 | 门锁轮及档轮 | Door lock roller | | D38*20(22)*内径12 |
| AF-OT80512 | 梯级轮 | Step roller | | D75*22*6204 |
| AF-OT80512A | 梯级轮 | Step roller | | D76*23*6203 |
| AF-OT80513 | 不带轴梯级轮 | Step roller | | D76.5*21.5*6203RS |
| AF-OT80560 | 梯级轮 | Step roller | | D74*26*6202 |
| AF-OT80564 | 轮子 | Roller | XAA290DD1 | D76*22.3 |
| AF-OT80590 | 托轮 | Support roller | GAA456DG10 | D55*50*6203 |
| AF-M110205B | 梯级轮付轮 | Step roller | | D76*H25 6202 |
| AF-M110253A | 挂板轮 | Hanger roller | | D65*H15*6201 |
| AF-M110253B | 挂板轮 | Hanger roller | | D85*H18*6204RS |
| AF-M110253C | 挂板轮 | Hanger roller | | D72*H15*6202 |
| AF-M110507A | 对重滚轮 | CTW GUIDE ROLLER | Y227877 | D150*H36*内径40 |
| AF-M110507B | 对重滚轮 | CTW GUIDE ROLLER | | D114*H37*内径40 |
| AF-M110568 | 扶梯驱动轮 | Driving roller | | D132*H35*内孔44 |
| AF-M110573 | 扶梯电动机皮带 | motor belt roller | | D145*38有键槽 |
| AF-M110729 | 绳轮 | Door rope roller | | D90*11*6200 |
| AF-M110769 | 门锁轮 | Rubber block roller | | D60*616*6002*V11 |
| AF-H20201 | 梯级轮 | Step roller | | D80*H25*6204 |
| AF-H20264 | 梯级轮 | Step roller | | D80*23*18*6202Z |
| AF-H20341 | 扶梯轮 | escalator roller | | D70*25*6204 |
| AF-H20214 | 托轮 | Support roller | | D70*H70*6204双 |
| AF-H20031 | YP门挂轮 | Landing door hanger roller | | D65*13*6202 |
| AF-H20162 | 门锁轮 | Door lock roller | | D44.5*14.5*内径12 |
| AF-H20032 | 扶梯滚轮 | Gear | | D114*52*25*21T |
| AF-H20112A | 钢丝绳轮 | Door rope roller | 带轴心 | D102*W90*H57 |
| AF-H20112B | 钢丝绳轮 | Door rope roller | 无轴心 | D102*W90*H57 |
| AF-LG40401 | 驱动齿轮 | Driving gear | 21齿,单排 | D115*21*21T |
| AF-TH70020 | 梯级链轮 | Step chain roller | | D75*23*6204 |
| AF-TH70020B | 梯级轮 | Step roller | | D70*25*6204 |
| AF-TH70023 | 托轮 | Support roller | | D80*H60*6204 |
| AF-OT80048A | 梯级轮 | Step roller | GO290AJ11 | D76*H21*6203 |
| AF-K050104F | 梯级轮 | Step roller | BLACK | D75*H23*6204 |
| AF-K050104H | 梯级轮 | Step roller | BLACK背架 | D110*19*6303 |
| AF-K050250 | 梯级轮 | Step roller | | D80*H23*6204 |
| AF-K050373 | 门挂轮 | Hanger roller | KM89350G01 | D45.5*16 |
| AF-K050251 | 门锁轮 | Door lock roller | KM85762G01 | D48*W48*H10 |
| AF-K050358B | 门锁轮 | Door lock roller | KM359391G01 | D31.5*19(17)*内孔12 |
| AF-K050357 | 测速轮 | Roller | KM650808G01 | D30.1*37*孔11 |
| AF-K050252 | 门挂轮 | ROLLER, HANGER | KM601106G01 | D94*H19*6203 |
| AF-K050348 | 补偿轮 | Roller | KM65369G02 | D72*65*6201Z |
| AF-K050519 | 轮子 | Door hanger roller | KM89761G01 | D52*23(16)*6003Z |
| AF-K050249 | 托轮 | Support roller | | D70*60*6202Z |
| AF-SC30453B | 门挂轮(白色) | Hanger roller(white) | | D54*18*6200RS |



AF-T060032



AF-OT80272



AF-OT80513



AF-OT80513



AF-OT80328



AF-LG40538



AF-LG40104



AF-SC30264



AF-LG40394



AF-H20211



| A-FLY ID | 中文名 | NAME | Factory id | 尺寸/Size(mm) |
|-------------|---------|---------------------------------|----------------|--|
| AF-LG40104A | 驱动轮 | Driving roller | | D141 |
| AF-LG40340 | 扶梯托轮 | Support roller | | D70*H60*6202(双) |
| AF-LG40394A | 托轮 | Support roller | | 黑色 D70*H60*6202 双 白色 D70*H50*6202 双 |
| AF-LG40394B | 托轮 | Support roller | | 黑色,带标志 D70*H70*6202 双 浅绿色 D70*50*6202 双 |
| AF-LG40394C | 托轮 | Support roller | | |
| AF-LG40394E | 托轮 | Support roller | | |
| AF-LG40537 | 铝托托轮 | Alu Support roller | | D70*50*6204-2RS |
| AF-LG40403 | 齿轮 | Gear | 25齿,单排 | 25T*H40 |
| AF-LG40632 | 齿轮 | Gear | 20齿,单排 | D110*80 |
| AF-LG40633 | 齿轮 | Gear | 上20T下27T | D140*130 |
| AF-LG40331 | 高速滚轮 | GUIDE ROLLER | D125 | D125*6203*25 |
| AF-LG40332 | 高速滚轮 | GUIDE ROLLER | D125 | D160*62032(双)*30 |
| AF-LG40336 | 高速滚轮 | GUIDE ROLLER | | D250*32*6004 |
| AF-LG40536 | 高速滚轮 | GUIDE ROLLER | | D260 |
| AF-LG40561 | 滚轮 | GUIDE ROLLER | D76 | D76*21*6203RS |
| AF-LG40571 | 高速滚轮 | GUIDE ROLLER | | D160*62032(双)*30 |
| AF-LG40622 | 滚轮 | GUIDE ROLLER | | D260 |
| AF-LG40538 | 梯级轮 | Step roller | | D60*25*6204RZ |
| AF-LG40539 | 梯级轮 | Step roller | D80 | D80*23*6203 |
| AF-LG40539A | 梯级轮 | Step roller | D80 | D80*23*6202 |
| AF-LG40614 | 梯级轮 | Step roller | | D80*29*6202*2 |
| AF-MI10044 | 压程轮 | Support roller | | D60*55*35*6202(双) |
| AF-MI10205C | 梯级轮蓝色付轮 | Blue step roller | | D76*21*6202 |
| AF-MI10205A | 梯级轮主轮 | chain roller | | D76*H36 6202 |
| AF-LG40652 | 扶手驱动滚轮 | Handrail Driving roller | | D455 |
| AF-LG40104 | 驱动轮 | Escalator Drive Roller with Hub | | D141*90*6204RS |
| AF-SC30062 | 轮 | Roller | SWE | 12槽*D190*57 |
| AF-SC30079A | 扶梯托轮 | Roller | D70*20 | D70*H25*6204 |
| AF-SC30079 | 红色梯级副轮 | roller | 702025 | D70*25*6204-2RS |
| AF-SC30104 | 滚轮系列 | Guide roller | | D65*50 |
| AF-SC30107A | 滚轮系列 | Guide roller | | D70*H50*6204 |
| AF-SC30109 | 铁滚轮(凸轮) | Deflection pulley | 405523 | D75*36*6204RS |
| AF-SC30264A | 滚轮系列 | Guide roller | | D70*72*6204 |
| AF-SC30265 | 滚轮系列 | Guide roller | | D60*54*6202 |
| AF-SC30266 | 滚轮系列 | Guide roller | | D80*50*6204 |
| AF-SC30267 | 滚轮系列 | Guide roller | | D50*50*6202 |
| AF-SC30405A | 门挂轮 | Hanger roller | 505823 | 12.7*5.9 |
| AF-SC30405B | 门挂轮 | Door hanger off set | 505811 | 12.7*5.9 |
| AF-SC30420 | 多根带轮 | V-belt roller | | D86*86*H70 |
| AF-SC30422 | 门挂轮 | Hanger roller | | D62*W62*H16 |
| AF-SC30453A | 门挂轮(白色) | Hanger roller(white) | | D54*18*6200Z |
| AF-SC30454 | 门挂轮(黑色) | Hanger roller(black) | 3201.05.0032/C | D56*16*6202RS |
| AF-SC30455 | 齒輪 | Roller | | D320*65 |



AF-ASC30239

AF-SC30238

GS-049

GS-043

GS-045

GS-046

| 图号 | 名称/NAME | 参数 | 备注 |
|------------|----------------------|------------|-------------|
| A-FLY ID | NAME | Size | Rated speed |
| GS-042 | 导靴/ Guide guide shoe | D125*16/10 | V≤2.5M/S |
| GS-043 | 导靴/ Guide guide shoe | D125*16/10 | V≤2.5M/S |
| GS-044 | 导靴/ Guide guide shoe | D125*16/10 | V≤2.5M/S |
| GS-045 | 导靴/ Guide guide shoe | D76*16/10 | V≤3.5M/S |
| GS-046 | 导靴/ Guide guide shoe | D76*16/10 | V≤3.5M/S |
| GS-047 | 导靴/ Guide guide shoe | D150*16/10 | V≤3.5M/S |
| GS-048 | 导靴/ Guide guide shoe | D82*16/10 | V≤2.0M/S |
| GS-049 | 导靴/ Guide guide shoe | D80*16/10 | V≤3.5M/S |
| GS-050 | 导靴/ Guide guide shoe | D200*16 | V≤4.0M/S |
| GS-051 | 导靴/ Guide guide shoe | D160*16/10 | V≤3.0M/S |
| AF-SC30238 | 导靴/ Guide guide shoe | D100*8-22 | V≤3.0M/S |
| AF-SC30239 | 导靴/ Guide guide shoe | D150*8-22 | V≤5.0M/S |


| A-FLY ID | NAME | Size | Bearing | Sub |
|-------------|-------------------------------|---------------------------|---------------|-------------|
| AF-R1100268 | Aluminum Guide Roller w/ Axle | ΦD(95)*B(42)*V(10) | 6203-2RSx2 | OT |
| AF-R1100277 | Aluminum Guide Roller | ΦD(150)*B(32)*V(11.5) | 6301-2RSx2 | SCH |
| AF-R1100325 | Aluminum Guide Roller w/Axle | ΦD(200)*B(44)*V(38)*R(40) | 6003-2RSx2 | KO |
| AF-R1100326 | Aluminum Guide Roller | ΦD(125)*B(22.3)*R(10.5) | 6204-2RSx1 | LG |
| AF-R1100335 | Aluminum Guide Roller | ΦD(151)*B(36.5)*R(21) | 6203-2RSx2 | MIT |
| AF-R1100348 | Iron Guide Roller | ΦD(140)*B(46)*V(40) | 6306-2RSx1 | FJ |
| AF-R1100349 | Iron Guide Roller | ΦD(200)*B(38)*V(9) | 6306-2RSx1 | FJ |
| AF-R1100358 | Iron Guide Roller | ΦD(125)*B(22)*V(12) | 6204-2RSx1 | HIT |
| AF-R1100364 | Aluminum Guide Roller | D260*B32*V21 | 6304-2RS*2F52 | MIT |
| AF-R1100369 | Aluminum Guide Roller | D102*B32 | 6203RZ*2 | DV |
| AF-R1100370 | Aluminum Guide Roller | D202*B32 | 6204RZ*2 | DV |
| AF-R1100372 | Aluminum Guide Roller | D100*B30*V26 | 6204*2 | OT |
| AF-R1100373 | Aluminum Guide Roller | D100*25*接触面12 | 6205 | SCH |
| AF-R1100374 | Aluminum Guide Roller | D75*B25*V16 | 6203 | SCH |
| AF-R1100375 | Aluminum Guide Roller | D140*B46*V40 | 6306-2RS | FJ |
| AF-R1100376 | Aluminum Guide Roller | D130*B24*V11 | 6205RZ | FJ |
| AF-R1100324 | Aluminum Guide Roller w/Axle | ΦD(200)*B(44)*V(27)*R(40) | 6003-2RSx2 | KO |
| AF-R1100336 | Aluminum Guide Roller | ΦD(190)*B(45.8)*R(12) | 6305-2RSx2 | MIT |
| AF-R1100322 | Aluminum Guide Roller w/Axle | ΦD(150)*B(38)*V(10) | 6003-2RSx2 | KO |
| AF-R1100351 | Aluminum Guide Roller | ΦD(114)*B(25)*V(12) | 6203-2RSx1 | G-E-C |
| AF-R1100343 | Aluminum Guide Roller | ΦD(82.5)*B(23.7)*V(12.5) | 6201-2RSx2 | AF-ELE-SC0* |
| AF-R1100344 | Aluminum Guide Roller W/shaft | ΦD(153)*B(31.5)*V(13) | 6204-2RSx2 | AF-ELE-SC0* |



扶梯配件

Escalator Parts


扶手带 Handrail



扶梯链 Step main chain



| 型号/尺寸 | 高 | 宽 | 材料 | | | | |
|----------|------------|--------------------|----------------------|--------------------|--------------------|--------------------|--------------|
| Size | Model | Height | Width | | | MATERIAL | |
| A-FLY ID | H | h | D1 | D | d | | |
| AF-H001 | AF-XF | 33±1 | 14 | 82±2 | 64 | 35 ⁺² | RUBBER |
| AF-H002 | AF-SWE | 34±1 | 12 | 82±2 | 62±2 | 33 | RUBBER |
| AF-H003 | AF-SDS | 28.5±1.5 | 10.6±0.8 | 80 | 62 ⁺³ | 39 ⁺³ | RUBBER |
| AF-H004 | AF-9300 | 28.5±1.5 | 10.6±0.8 | 80 | 62 ⁺³ | 39 ⁺³ | RUBBER |
| AF-H005 | AF-Mit-J | 27 | 10 | 80 | 62 ⁺³ | 41±1.5 | RUBBER |
| AF-H006 | AF-OT-510 | 35.5±1 | 15.9 ^{+0.5} | 82.5 | 63.5±0.5 | 38 ^{+1.4} | RUBBER |
| AF-H007 | AF-HIT-EX1 | 27.5 | 10 ⁺¹ | 80 | 63 ^{+1.5} | 40 | RUBBER |
| AF-H008 | AF-HIT-EX2 | 27.5 | 10 ⁺¹ | 80 | 63 ^{+1.5} | 40 | Polyurethane |
| AF-H009 | AF-FSW | 28.5 | 10 ^{+1.5} | 80 | 63 ⁺² | 40 | RUBBER |
| AF-H010 | AF-HYD-WBT | 28.4±0.7 | 10.4±0.7 | 79.3±0.7 | 63.5±0.7 | 39.6 | RUBBER |
| AF-H011 | AF-LG-SEE | 31.7 ⁺¹ | 11.5 ⁺¹ | 82 ^{+1.5} | 63 ^{+1.5} | 40 ^{+1.5} | RUBBER |
| AF-H012 | AF-OT800 | 28±1 | 9.5 ⁺¹ | 76 | 60 | 39 | RUBBER |
| AF-H013 | AF-FT300 | 35±1 | 15 ⁺¹ | 88 | 68 | 40 | RUBBER |
| AF-H014 | AF-SDG | 32±1 | 12 | 86±2 | 62±2 | 36 | RUBBER |
| AF-H015 | AF-ECO3000 | 28.2+1.5/-1 | 10.6±0.5 | 79.2+2.5 | 62.8+1.5 | 37.5+2.5 | RUBBER |
| AF-H016 | AF-FUJITEC | 28.5±1.5 | 10.6±0.8 | 80 | 62 ⁺³ | 39 ⁺³ | RUBBER |



| 图号 | 链号 | 节距 | 梯级距 | 滚子直径 | 内链节宽 | 内链节宽 | 内链板厚 | 链板厚 | 链板重量 | 适用梯型 | | |
|-----------|----------------|------------------------|-----------------|----------------------------|----------------------|-------------------|-----------------|-----------------------|------------------|----------|-------|-------------|
| Chain No. | Pitch | Distance between steps | Roller diameter | Width between inner plates | Bearing Pin diameter | Inner plate Depth | Plate thickness | Ultimate tensile load | Weight Per meter | 适用梯型 SEM | | |
| A-FLY ID | Model | P | t | d1 | b1 | d2 | h1 | T | Q | kg | | |
| | | mm | section | mm | mm | mm | mm | mm | mm | kg/m | | |
| AF-T001 | AF-TL50 | 50.8 | 8 | 406 | 28.58 | 31.75 | 14.27 | 48 | 6.43 | 150 | 9.6 | OTHER |
| AF-T002 | AF-TL66 | 66.67 | 6 | 400 | 28 | 25.4 | 14.29 | 46.4 | 4.82 | 147 | 5.3 | T05B |
| AF-T003 | AF-TL66B | 66.67 | 6 | 400 | 28 | 25.4 | 14.29 | 42.2 | 5.6 | 216 | 7.2 | DY |
| AF-T004 | AF-TL67 | 67.733 | 6 | 406 | 28 | 25.4 | 14.29 | 46.4 | 4.82 | 158 | 5 | MIT |
| AF-T005 | AF-TL67B | 67.733 | 6 | 406 | 28 | 25.4 | 14.29 | 52.2 | 4.82 | 210 | 6.11 | MIT |
| AF-T006 | AF-TL67 w/axle | 67.733 | 6 | 406 | 28 | 25.4 | 14.29 | 52.2 | 4.82 | 210 | 6.11 | MIT |
| AF-T007 | AF-TL68B | 68.4 | 6 | 410 | 32 | 29.7 | 14.29 | 45.4 | 4.82 | 128 | 6.73 | HIT/LG |
| AF-T008 | AF-TL68C | 68.4 | 6 | 410 | 32 | 20.7 | 17 | 45.4 | 4.82 | 167 | 7.1 | HIT/LG |
| AF-T009 | AF-TL100A | 100 | 4 | 400 | 52 | 27.5 | 29.95 | 70.5 | 5 | 250 | 10 | YUNGDA/HIT |
| AF-T010 | AF-TL100B | 100 | 4 | 400 | 52 | 27.8 | 25.8 | 50.3 | 5 | 128 | 8.73 | BLT |
| AF-T011 | AF-TL100C | 100 | 4 | 400 | 52 | 27.8 | 25.8 | 50.3 | 5 | 128 | 8.73 | AFEXPRESS |
| AF-T012 | AF-TL100D | 100 | 4 | 400 | 52 | 27.8 | 25.8 | 50.3 | 5 | 128 | 8.73 | SCH |
| AF-T013 | AF-TL131*880 | 131.33 | 3 | 393 | 80 | 27 | 14.63 | 40/50 | 5 | 180 | 7.7 | AFXZJOT |
| AF-T014 | AF-TL133*70 | 133.33 | 3 | 400 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | SCH |
| AF-T015 | AF-TL133*70 | 133.33 | 3 | 400 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | AFSWE |
| AF-T016 | AF-TL133*76 | 133.33 | 3 | 400 | 76 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | AFSDS |
| AF-T017 | AF-TL133*76 | 133.33 | 3 | 400 | 76 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | AF9300 |
| AF-T018 | AF-TL138*80 | 133.33 | 3 | 400 | 80 | 27 | 24 | 50.2 | 5 | 180 | 8.54 | SCH |
| AF-T019 | AF-TL138*80 | 133.33 | 3 | 400 | 80 | 27 | 24 | 50.2 | 5 | 180 | 8.54 | AFEXPRESS |
| AF-T020 | AF-TL133 | 133.33 | 3 | 400 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | SCH |
| AF-T021 | AF-TL133*70 | 133.33 | 3 | 400 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | BLT |
| AF-T022 | AF-TL133*70 | 133.33 | 3 | 400 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | AFEXPRESS |
| AF-T023 | AF-TL133*75 | 133.33 | 3 | 400 | 75 | | | | | | | KO/AFO&K |
| AF-T024 | AF-TL133*75 | 133.33 | 3 | 400 | 75 | | | | | | | AF-RTK |
| AF-T025 | AF-TL133*75 | 133.33 | 3 | 400 | 75 | 25 | 12.5 | / | 3.5/5 | 105 | 5.5 | HYD |
| AF-T026 | AF-TL135C | 135 | 3 | 405 | 76 | 23 | 15 | 35.2 | 5 | 80 | 6.2 | HYD |
| AF-T027 | AF-TL135D | 135.46 | 3 | 406 | 76 | 24 | 15 | 35 | 5 | 90 | 5.7 | AFXZJOT |
| AF-T028 | AF-TL135E | 135.47 | 3 | 406 | 76 | 22.6 | 12 | 32.2 | 5 | 123 | 5.5 | AFXZJOT |
| AF-T029 | AF-TL135F | 135.46 | 3 | 406 | 70 | 27 | 14.63 | 40.2 | 5 | 180 | 7.7 | AFXZJOT |
| AF-T030 | AF-TL135G | 135.46 | 3 | 406 | 76.2 | 24 | 15 | 35 | 5 | 90 | 10.14 | AFXZJOT |
| AF-T031 | AF-TL135K | 135 | 3 | 405 | 75 | 27.3 | 14.63 | 32.15 | 5 | 120 | 5.39 | TYS |
| AF-T032 | AF-TL135L | 135 | 3 | 405 | 75 | 27.3 | 14.63 | 40.15 | 5 | 190 | 7.65 | TYS |
| AF-T033 | AF-TL135M | 135 | 3 | 405 | 75 | 23.3 | 22.2 | 50.2 | 5 | 230 | 8.83 | TYS |
| AF-T034 | AF-TL135P | 135 | 3 | 405 | 75 | 27.3 | 20 | 46.2 | 5 | 190 | 7.76 | TYS |
| AF-T035 | AF-TL135J | 135.46 | 3 | 406 | 45 | 23.5 | 25 | 70 | 5/6 | 250 | 34.45 | TYS |
| AF-T036 | AF-TL136*80 | 136.8 | 3 | 410 | 80 | 24 | 15 | 43.2 | 5 | 156.8 | 24.77 | LG/AFSIGMA |
| AF-T037 | AF-TL136B*80 | 136.8 | 3 | 410 | 80 | 24 | 19.9 | 46.2 | 5 | 120 | 25.06 | LG/AFSIGMA |
| AF-T038 | AF-TL135Q*76.2 | 135 | 3 | 407 | 76.2 | 23.8 | 20 | 40/45 | 5 | 160 | 6.5 | AFS10A-20mm |
| AF-T039 | AF-TL135R*76.2 | 135 | 3 | 407 | 76.2 | 23 | 15 | 35/40 | 5 | 160 | 5.7 | AFS10-15mm |
| AF-T040 | AF-TL135S*76.2 | 135.6 | 3 | 407 | 76.2 | 23 | 12.7 | 28/35 | 5 | 120 | 5.5 | AF506NCE |
| AF-T041 | AF-TL135T-S750 | 135.47 | 3 | 406 | 76 | 27.1 | 12.8 | 32 | 5 | 123 | / | HYD-S750 |
| AF-T042 | AF-TL135U-S650 | 135.47 | 3 | 406 | 76 | 22.3 | 12.8 | 32 | 5 | / | / | HYD-S650 |

扶梯配件

Escalator Parts

Chain Series



50361



3067



3067A



50359



30514



30068



50248



40393B



50499B



50499C



50499A



50360

| 型号 | 型号 | 齿距 | 滚子直径 | 内节内宽 | 销轴直径 | 销轴长度 | 内链节高度 | 链板厚度 | 链节 | 链节重量 | 平均节距 | 每米重量 |
|---------|------------|-------|-----------------|----------------------------|--------------|------------|-------------------|-----------------|------------------|---------------------------|--------------------------|------------------|
| China | A-FLY ID | Pitch | Roller diameter | Width between inner plates | Pin diameter | Pin length | Inner plate depth | Plate thickness | Transverse pitch | Ultimate tensile strength | Average tensile strength | Weight per meter |
| NO. | | P | d1 | b1 | d2 | L | LC | h2 | T/T | Pt | Q | q |
| | | mm | mm | mm | mm | mm | mm | mm | mm | mm | kN | kN |
| 20A-2F | AF-OT8537A | 31.75 | 19.05 | 18.9 | 9.53 | 76.4 | 83.1 | 30.18 | 4 | 35.76 | 173.5 | 215.6 |
| 20B-2F | AF-OT8537B | 31.75 | 19.05 | 19.58 | 10.19 | 79.7 | 85.8 | 26.42 | 4.60/3.60 | 36.45 | 170 | 210 |
| 16A-2F | AF-OT8537C | 25.4 | 15.88 | 15.75 | 7.92 | 62.7 | 67.1 | 24.13 | 3.26 | 29.29 | 111.2 | 143 |
| 16B-2F | AF-OT8537D | 25.4 | 15.88 | 17.02 | 8.28 | 68 | 73.4 | 21.08 | 4.09/3.10 | 31.88 | 106 | 126.5 |
| 20A-3 | AF-OT8537E | 31.75 | 19.05 | 18.9 | 9.53 | 112 | 116 | 30 | 4 | 35.76 | 365.5 | 309.6 |
| 20B-3 | AF-OT8537F | 31.75 | 19.05 | 19.56 | 10.19 | 114 | 118 | 26.4 | 4.60/3.60 | 36.45 | 250 | 290 |
| 20AFT-2 | AF-OT8537G | 31.75 | 19.05 | 18.9 | 9.53 | 76.4 | 80.5 | 30.1 | 4 | 35.76 | 211.68 | 262.5 |
| 20AFT-3 | AF-OT8537H | 31.75 | 19.05 | 18.9 | 9.53 | 112 | 116 | 30.1 | 4 | 35.76 | 330 | 395 |
| 24A-2 | AF-OT8537I | 38.1 | 22.23 | 25.22 | 11.1 | 95.8 | 99.7 | 35.7 | 4.8 | 45.44 | 254 | 314.9 |
| 24B-2 | AF-OT8537J | 38.1 | 25.4 | 25.4 | 14.63 | 102 | 106 | 33.2 | 5.80/4.80 | 48.36 | 280 | 319.2 |



40651



STEP CHAIN-6P



50417B



80537B



30611



50417



60035

梯级Step

不锈钢梯级技术参数

| 型号 | AF-QT00066 | | | |
|------|------------|---------|-----|-----|
| 梯级宽 | mm | 1002 | 802 | 603 |
| 梯级深度 | mm | 402 | | |
| 倾斜角度 | ° | 30/35 | | |
| 主轮轨距 | mm | 884 | 684 | 484 |
| 辅轮轨距 | mm | 987 | 787 | 587 |
| 滚轮基数 | mm | 340 | | |
| 滚轮直径 | mm | D70/D80 | | |
| 踏板齿距 | mm | 90.5 | | |
| 净重 | kg | 20 | 17 | 14 |



AF-QT00062



AF-SC30432A



AF-QT00066



AF-FT110012




AF-H20197




AF-SC30410C



AF-SC30410B



AF-QT00065



AF-QT00688



AF-LG40308

不锈钢梯级技术参数

| 型号 | AF-QT00688 | | | |
|--------|------------|-------------|-------|-------|
| L | mm | 1002 | 802.5 | 603 |
| L1 | mm | 1006 | 806 | 606.6 |
| a | ° | 30*35 | | |
| W | mm | 403.5 | | |
| A DBS | mm | 400 | | |
| B | mm | 9.068 | | |
| C | mm | 340 | | |
| | mm | 885 | 683.6 | 483.6 |
| L2 | mm | 963.6 | 762.6 | 562.6 |
| L3 | mm | 840.6 | 639.6 | 439.6 |
| D | mm | D80/D76/D70 | | |
| W1 | mm | 58.5 | | |
| NT.WT. | kg | 20 | 17 | 14 |

扶梯配件

Escalator Parts



| A-FLY ID | Factory ID | 尺寸/Size | 齿/Teeth | 颜色/Color |
|--------------|-------------|--------------|----------|----------|
| AF-LG40597C | DSAT00C112 | 203.18*152.6 | 8.466 24 | 白色 |
| AF-LG40597A | DSAT00C318 | 198*152.6 | 8.466 23 | 白色 |
| AF-LG40597B | DSAT00C319 | 206.39*152.6 | 8.466 24 | 白色 |
| AF-K050471A | 5130667D10 | 202.2*127.2 | 9 22 | 白色 |
| AF-K050471B | 5130668D10 | 202.2*127.2 | 9 22 | 白色 |
| AF-K050471C | 5130669D10 | 113.4*127.2 | 9 22 | 白色 |
| AF-OT80506A | XAA453AV1 | 199.4*145.3 | 9.068 22 | 白色 |
| AF-OT80506B | XAA453AV2 | 199.4*145.3 | 9.068 22 | 白色 |
| AF-OT80506C | XAA453AV3 | 202.9*145.3 | 9.068 22 | 白色 |
| AF-OT80507A | XAA453CD5 | 206.39*139 | 8.466 25 | 白色 |
| AF-OT80507B | XAA453CD1 | 203.2*139.2 | 8.466 24 | 白色 |
| AF-OT80507C | XAA453CD6 | 197.4*139.2 | 8.466 23 | 白色 |
| AF-OT80508A | XAA453BJ | 203.2*132.6 | 8.466 24 | 白色 |
| AF-OT80508B | XAA453BJ | 198*132.64 | 8.466 23 | 白色 |
| AF-OT80508C | XAA453BJ | 206.4*132.6 | 8.466 24 | 白色 |
| AF-OT80509A | XAA453J | 193.2*145.3 | 8.4 23 | 白色 |
| AF-OT80509B | XAA453J | 214.2*145.3 | 8.4 25 | 白色 |
| AF-OT80509C | XAA453J | 214.2*145.2 | 8.4 25 | 白色 |
| AF-OT80510A | GAA453BM1 | 203.84*139 | 8.466 24 | 白色 |
| AF-OT80510B | GAA453BM5 | 206.39*139 | 8.466 24 | 白色 |
| AF-OT80510C | GAA453BM6 | 197.4*139.2 | 8.466 23 | 白色 |
| AF-OT80511A | HA453S2 | 199.4*133 | 9.068 22 | 白色 |
| AF-OT80511B | HA453S2 | 202.9*133 | 9.068 22 | 白色 |
| AF-OT80511C | HA453S3 | 202.9*133 | 9.068 22 | 白色 |
| AF-FT140037A | FPB0105-001 | 202.9*100 | 9.068 22 | 白色 |
| AF-FT140037B | FPB0102-001 | 199.4*100 | 9.068 22 | 白色 |
| AF-FT140037C | FPB0104-001 | 202.9*100 | 9.068 22 | 白色 |
| AF-FT140038A | FPB0101-001 | 199.4*100 | 9.068 22 | 白色 |
| AF-QT10067 | SMR313283 | 199.4*107 | 9.068 22 | 黄色 |
| AF-QT10068 | SMR318762 | 199.4*107 | 9.068 22 | 黑色 |
| AF-QT10069A | 57410420 | 199.4*107 | 9.068 22 | 黑色 |
| AF-QT10069B | 57410421 | 199.4*107 | 9.068 22 | 黑色 |
| AF-QT10070 | TF12130 | 199.4*107 | 9.068 22 | 白色 |
| AF-QT10071A | TF5195002 | 202.8*107 | 9.068 22 | 白色 |
| AF-QT10071B | TF5195001 | 202.8*107 | 9.068 22 | 白色 |
| AF-QT10072A | TR26020 | 202.8*207 | 9.068 22 | 白色 |
| AF-QT10072B | TR26021 | 202.8*207 | 9.068 22 | 白色 |
| AF-QT10072C | TR26022 | 199.4*207 | 9.068 22 | 白色 |
| AF-QT10073A | TR2602301 | 214.2*207 | 8.4 25 | 白色 |
| AF-QT10073B | TR2602302 | 214.2*207 | 8.4 25 | 白色 |
| AF-LG40584A | DSA200903A | 203.2*139.4 | 8.466 24 | 白色 |
| AF-LG40584B | DSA200904A | 198*139.4 | 8.466 23 | 白色 |
| AF-LG40584C | DSA200905A | 206.4*139.4 | 8.466 23 | 白色 |

梳齿板Comb


| A-FLY ID | Factory ID | 尺寸/Size | 齿/Teeth | 颜色/Color |
|--------------|-------------|--------------|----------|----------|
| AF-HD000001 | S655B6 | L155*W92.5 | 107 17 | 橙黄色 |
| AF-HD00001AR | S655B6 | L155*W92.5 | 107 17 | 橙黄色 |
| AF-HD00001BR | S655B6 | L155*W92.5 | 107 12 | 橙黄色 |
| AF-HD00001C | S655B6 | L155*W92.5 | 107 13 | 橙黄色 |
| AF-HD00001CY | S655B6 | 155*92.5 | 107 15 | 黄色 |
| AF-HD00001BY | S655B6 | 155*92.5 | 107 16 | 黄色 |
| AF-HD00001AY | S655B6 | 155*92.5 | 107 15 | 黄色 |
| AF-SC30673A | 247416 | 199.5*154.3 | 145 22 | 白色 |
| AF-SC30673B | 247417 | 205.5*154.3 | 145 22 | 白色 |
| AF-LG40404A | DSA2001488L | 203*94*18 | 111 22 | 黄色 |
| AF-LG40404B | DSA2001489R | 203*94*18 | 111 22 | 黄色 |
| AF-LG40404C | DSA2001489M | 198*94*18 | 111 22 | 黄色 |
| AF-HD00005A | 655B013H06 | L160*W90 | 92 15 | 黄色 |
| AF-HD00005B | 655B013H06 | L147*W90 | 92 16 | 黄色 |
| AF-HD00005C | 655B013H06 | L160*W90 | 92 15 | 黄色 |
| AF-HI20358A | 21502023-A | 122.8*153.3 | 8.4 17 | 黄色 |
| AF-HI20358B | 21502024-B | 126*153.3 | 8.4 15 | 黄色 |
| AF-HI20358C | 21502025-A | 104.3*153.3 | 8.4 19 | 黄色 |
| AF-HI20358D | 21502026-A | 164.3*153.3 | 8.4 19 | 黄色 |
| AF-HI20359A | 22501787-A | 164.3*112.3 | 8.4 19 | 黄色 |
| AF-HI20359B | 22501778-A | 164.3*112.3 | 8.4 19 | 黄色 |
| AF-HI20360A | 22501790-A | 126*112.3 | 8.4 15 | 黄色 |
| AF-HI20360B | 22501790-B | 126*112.3 | 8.4 15 | 黄色 |
| AF-SC30562A | 50644838 | 180*210*145 | 9.068 22 | 白色 |
| AF-SC30562B | 50644839 | 199.4*181.42 | 9.068 22 | 白色 |
| AF-SC30558A | 266623 | 199.4*181.36 | 9.068 22 | 黑色 |
| AF-SC30558B | 266424 | 205.4*181.36 | 9.068 22 | 黑色 |
| AF-SC30559 | 266475 | 199.4*181.36 | 9.068 22 | 白色 |
| AF-SC30560A | 266479 | 199.4*181.36 | 9.068 22 | 黄色 |
| AF-SC30560B | 266482 | 205.4*181.36 | 9.068 22 | 黄色 |
| AF-SC30561 | 266480 | 205.4*181.36 | 9.068 22 | 白色 |
| AF-SC30563A | 50603617 | 199.5*154.3 | 9.068 22 | 白色 |
| AF-SC30563B | 50603618 | 199.5*154.3 | 9.068 22 | 白色 |
| AF-LG40132A | DSA200168L | 163.8*91.6 | 8.4 17 | 黄色 |
| AF-LG40132B | DSA200168R | 155.4*91.6 | 8.4 17 | 黄色 |
| AF-LG40132C | DSA200168M | 147*91.6 | 8.4 17 | 黄色 |
| AF-LG40132D | DSA200169 | 142.8*91.6 | 8.4 17 | 黄色 |
| AF-LG40132E | DSA200169 | 126*91.6 | 8.4 15 | 黄色 |
| AF-LG40585A | DSA2001558R | 147*91.6 | 8.4 17 | 白色 |
| AF-LG40585B | DSA2000158M | 163.8*91.6 | 8.4 19 | 白色 |
| AF-LG40585C | DSA200155-L | 155.4*91.6 | 8.4 18 | 白色 |
| AF-LG40585D | DSA2001559M | 142.8*91.6 | 8.4 17 | 白色 |
| AF-LG40585E | DSA2001559M | 126*91.6 | 8.4 15 | 白色 |



扶梯配件

Escalator Parts

▼ Demarcation line



| A-FLY ID | 名称/Name | Factory ID | 尺寸/Size |
|---------------|------------------|-----------------|----------------------|
| AF-MI10200A | Demarcation line | YX013B521_RIGHT | L415*W105*H18 |
| AF-MI10200B | Demarcation line | YX004B278 | L410*W29*H18 |
| AF-MI10200C | Demarcation line | YX004B278 | L410*W29*H18 |
| AF-MI10200E | Demarcation line | YX013B522_LEFT | L415*W100*H18 |
| AF-MI10771A | Demarcation line | L47332140A | L406*26*26 |
| AF-MI10771B | Demarcation line | L47332140B | L406*26*26 |
| AF-MI10771C-F | Demarcation line | L47332142A-D | L197*53*24*22T |
| AF-MI10771G | Demarcation line | L47332143A | L152*53*24*17T |
| AF-MI10771H | Demarcation line | L47332145A | L198*32*24*22T |
| AF-MI10771I | Demarcation line | L47332145B | L197*32*24*22T |
| AF-MI10771J | Demarcation line | L47332144A | L152*32*24*17T |
| AF-HD00006A | Demarcation line | 645B024H01 | L420*W25*3T |
| AF-HD00006B | Demarcation line | 645B024H02 | L420*W25*3T |
| AF-HD00006C | Demarcation line | 645B023H02 | L200*W26*22T |
| AF-HD00006D | Demarcation line | 645B023H03 | L200*W26*22T |
| AF-HD00006E | Demarcation line | 645B023H01 | L154.5*W26*17T |
| AF-HD00025-09 | Demarcation line | 645B028H01 | L127.3*W38*14T*9.09 |
| AF-HD00025-11 | Demarcation line | 645B028H02 | L163.62*W38*18T*9.09 |
| AF-HD00025-12 | Demarcation line | 645B029H01 | L90.9 |
| AF-HD00025-13 | Demarcation line | 645B029H02 | L408*41*14 |
| AF-SC30402A | Demarcation line | SCS319901 | L402*W97*H24.5 |
| AF-SC30402B | Demarcation line | SCS319902 | L402*W97*H24.5 |
| AF-SC30402C | Demarcation line | SCS319905 | L222*W28.5*H28.5 |
| AF-SC30402D | Demarcation line | SCS319903 | L222*W28.5*H28.5 |
| AF-SC30402E | Demarcation line | SCS319900 | L203.5*W51*H17 |
| AF-FT140004A | Demarcation line | L57332121A | L202.6*W49.5 |
| AF-FT140004B | Demarcation line | L57332119A L | L402.5*W109*H32.5 |
| AF-FT140004C | Demarcation line | L57332119A R | L402.5*W96.6*H32.5 |
| AF-FT140014A | Demarcation line | L47332130 R | L40.5*25*25 |
| AF-FT140014B | Demarcation line | L47332130 L | L40.5*25*25 |
| AF-FT140014C | Demarcation line | L47332128A | L153*40*30 |
| AF-FT140014D | Demarcation line | L47332127A | L198*40*25*22T |
| AF-FT140015A | Demarcation line | L57332115A | L199*46*22T |
| AF-FT140015B | Demarcation line | L57332116A | L153*23*46*17T |
| AF-HI20106A | Demarcation line | H2106211 | L320*W43*H25*38T |
| AF-HI20106B | Demarcation line | H2106223 | L320*W25*H25 |
| AF-HI20106C | Demarcation line | H2106230 | L414*W24*H32 |
| AF-HI20106D | Demarcation line | H2106231 | L414*W24*H32 |
| AF-OT80233A | Demarcation line | G0445G1 | L410*W25*H30 |
| AF-OT80233B | Demarcation line | G0445G2 | L410*W25*H30 |
| AF-OT80233C | Demarcation line | G0445G3 | L203*W32*H21 |
| AF-OT80233D | Demarcation line | G0445G4 | L198*W32*H21 |
| AF-OT80233E | Demarcation line | G0445G5 | L153*W32*H22 |
| AF-LG40102A | Demarcation line | 2105914-M | L318*W21*H21 |
| AF-LG40102B | Demarcation line | 2105913-M | L318*W40*H17 |
| AF-LG40102C | Demarcation line | 1105214-L | L410*W25*H30 |
| AF-LG40102D | Demarcation line | 1105214-R | L410*W25*H30 |
| AF-LG40102E | Demarcation line | 2105915-M | L277*41*17*33齿 |
| AF-LG40102F | Demarcation line | 2105916-M | L277*W21*17*33T |
| AF-LG40310A | Demarcation line | 2109004-LH | L413*W25*H44 |
| AF-LG40310B | Demarcation line | 2109004-RH | L413*W25*H44 |
| AF-LG40310C | Demarcation line | 2109005-MS | L317*W42*H31 |
| AF-LG40310D | Demarcation line | 2109006-MM | L317*W44*H35 |
| AF-OT80631 | Demarcation line | XAA455K1 | L321*31*24 |


1 双边毛刷截面

材料：阻燃丝，尼龙丝，塑料丝PP

阻燃丝质量最好，尼龙丝的回弹性好些，塑料丝容易发热，出事快。

底座宽：23mm
毛刷宽：35mm

our brush is made of flame resistance, hardness to low and flexible. Th plastic material is more harder, easy to get hot and have an accident




3 毛刷长度公式 (估算)

30度L=提升高度*4+5
35度L=提升高度*4+3
* 预测会比实际多一点点

2

毛刷接头 (端头)，安装在毛刷四个端部 (扶梯入口裙板处)，一台梯需四个接头。

The End fitting kit is installed at the four ends of safety brush (of escalator entry skirt panel). 1 escalator is required 4 pcs End fitting kit.



毛刷 Safety Brush



AF-SC3698D



AF-TY9008 水晶灯



AF-TY90082B 水晶灯



AF-TY90083A 水晶灯



AF-TY90083B 水晶灯



LED效果图



LED灯效果图

| A-FLY ID | 名称 | 规格/Size | 参数/Technical parameter |
|---------------|---|--------------|---|
| AFO-0102 | 筒灯 | Car Led lamp | 67.5*50*37 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) Color Rendering Index: > 70 |
| AFO-0105 | | | 67.5*50*31 Quantity: 1*1W |
| AFO-0108 | | | 63*47*23 Quantity: 1*1W |
| AFO-0110 | | | 52.5*25*35 Drive current:320±5% |
| AFO-0310 | | | 91*91*42 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) Color Rendering index: > 70 |
| AFO-0304 | | | 88*72.5*45 Quantity: 3*1W |
| AFO-0305 | 89*70.5*43.5 Quantity: 3*1W | | |
| AFO-0306 | 85*65*45 Drive current:320±5% | | |
| AFO-0309 | 90*70*38 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) | | |
| AFO-0312 | 84*53.5*43.5 Color Rendering index: > 70 | | |
| AFO-0314 | 87*67.5*38 Quantity: 3*1W | | |
| AFO-0317 | 85*68*46 Drive current:320±5% | | |
| AFO-0324 | 102*65*49 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) | | |
| AFO-0326 | 119*84*70 Color Rendering index: > 70 | | |
| AFO-0327 | 119*83*70 Quantity: 3*116PCS Drive current:320±5% | | |
| AFB-0103E27 | LED灯头 | Led lamp | 45*11.5 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFB-0105E27 | | | 49*86 Color Rendering index: > 70 |
| AFB-0108E14 | | | 36*128 Quantity: 1*1W Rated Voltage: AC220V |
| AFB-0310E27 | LED灯头 | Led lamp | 60*111 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFB-0314E27 | | | 60*127 Color Rendering index: > 70 |
| AFB-0317E27 | | | 49*86 Quantity: 3*1W Rated Voltage: AC220V |
| AFB-0702E27 | LED灯头 | Led lamp | 57*136 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFB-0703E27 | | | 65*119 Color Rendering index: > 70 |
| AFB-0901E27 | LED灯头 | Led lamp | 75*152 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFB-0902E27 | | | 78*140 Color Rendering index: > 70 |
| AFB-0502E27 | LED灯头 | Led lamp | 60*110 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFJ-0501E27 | | | 61*89 Quantity: 5*1W Rated Voltage: AC220V |
| AFJ-0101E27 | LED灯头 | Led lamp | 32*59 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFJ-0102E27 | | | 50*67 Quantity: 1*1W Rated Voltage: AC220V |
| AFJ-0104MR16 | LED灯头 | Led lamp | 50*56.5 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFJ-0106MR16 | | | 34.5*48.5 Color Rendering index: > 70 |
| AFJ-0107MR16 | | | 50*50.5 Quantity: 1*1W Rated Voltage: DC12V |
| AFJ-0302GU10 | LED灯头 | Led lamp | 49.5*56 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFJ-0305MR16 | | | 50*57.5 Color Rendering index: > 70 |
| AFJ-0307MR16 | | | 50*51 Quantity: 3*1W |
| AFJ-0309MR16 | | | 50*48 Rated Voltage: DC12V |
| AFJ-0312MR16 | | | 50*65.5 Quantity: 3*1W |
| AFJ-0303E27 | | | 50*63 Color Temp: D(5000-7000) N(3500-5000) W(2700-3500) |
| AFJ-0314GU10 | LED灯头 | Led lamp | 49*61 Color Rendering index: > 70 |
| AFJ-0301ZJ | | | Quantity: 3*1W Rated Voltage: AC220V |
| AF-T315-3 | LED筒灯 | 55*68 | DC 12V ~24V,320mA±10% mA,3000-3300K |
| AF-D-060-100A | LED灯条 (单) | 1000*16.5 | DC12V, 12W |
| AF-D-060-100B | LED灯条 (双) | 1000*16.5 | DC12V, 13W |
| AF-TY90082 | 水晶灯 | | |
| AF-TY90083 | 筒灯 | | |

| A-FLY ID | 名称/NAME | 型号/Model | Technical parameter |
|-----------------|------------------|-----------|---------------------|
| AF-AQT100020A-A | 光幕/Light curtain | AF-917A | 94 Beam 10*24 |
| AF-AQT100020A-B | 光幕/Light curtain | AF-917B | 128Beam 10*38 |
| AF-AQT100020A-C | 光幕/Light curtain | AF-917C | 154 Beam 16*28 |
| AF-AQT100020A-H | 光幕/Light curtain | AF-917H | 94 Beam 19*13 |
| AF-AQT100020A-L | 光幕/Light curtain | AF-917L | 94 Beam 11*27 |
| AF-AQT100020A-N | 光幕/Light curtain | AF-917N | 94 Beam 11*36 |
| AF-AQT100020A-P | 光幕/Light curtain | AF-917P | 94 Beam 29.5*16.5 |
| AF-AQT100020A-Q | 光幕/Light curtain | AF-917Q | 154 Beam 11*27 |
| AF-AQT100020A-R | 光幕/Light curtain | AF-917R | 94 Beam 16*28 |
| AF-AQT100020A-T | 光幕/Light curtain | AF-917T | 128 Beam 19*17 |
| AF-AQT100020A-U | 光幕/Light curtain | AF-917U | 94 Beam 19*17 |
| AF-AQT100020A-W | 光幕/Light curtain | AF-917W | 94 Beam 10*38 |
| AF-AQT100020B-E | 光幕/Light curtain | | 94 Beam 20*55 |
| AF-AQT100020B-F | 光幕/Light curtain | | 94 Beam 25*70 |
| AF-AQT100020B-G | 光幕/Light curtain | | 94 Beam 26*50 |
| AF-AQT100020C-A | 光幕盒/Box | DC24V-3W | 110*42*40 |
| AF-AQT100020C-B | 光幕盒/Box | AC110V-3W | 110*42*40 |
| AF-AQT100020C-C | 光幕盒/Box | AC220V-3W | 190*60*54 |

CEDES光幕

| AF-ZY3007D | 光幕/Light curtain | 光幕Cegardmini-154 | 32pairs &154 beams |
|------------|------------------|------------------|--------------------|
| AF-ZY3007 | 光幕/Light curtain | 光幕Cegardmax154 | 32pairs&154 beams |
| AF-ZY3010C | 光幕/Light curtain | 光幕MiniMax-159 | 34pairs&159 beams |
| AF-ZY3010A | 光幕/Light curtain | 光幕MiniMax-79 | 17pairs&79 beams |
| AF-ZY3007H | 光幕/Light curtain | 光幕Cegardmini-74 | 16pairs &74 beams |
| AF-ZY3007U | 光幕/Light curtain | Cegard/Max-74U | |
| AF-ZY3007C | 光幕/Light curtain | Cegard/Max-114 | |
| AF-ZY3010B | 光幕/Light curtain | MiniMax-119 | |

| A-FLY ID | 名称/NAME | 型号/Model | ID |
|------------|---------------------------|-------------------------|---------------|
| AF-ZY3002 | 光电开关/Photoelectric switch | GLS126NT-NC | 108114 |
| AF-ZY3002A | 光电开关/Photoelectric switch | GLS126NT-HCL | 108115 |
| AF-ZY3002B | 光电开关/Photoelectric switch | GLS126NT-NC-HCL | 109899 |
| AF-ZY3002C | 光电开关/Photoelectric switch | GLS126 NT MV NC/GLS 326 | |
| AF-ZY3004A | 光电开关/Photoelectric switch | ELS266 | |
| AF-ZY3004B | 光电开关/Photoelectric switch | ELS261 | |
| AF-ZY3004D | 光电开关/Photoelectric switch | ELS263PNP-LO | |
| AF-ZY3004E | 光电开关/Photoelectric switch | ELS263PNP-LD | |
| AF-ZY3004F | 光电开关/Photoelectric switch | ELS263PNP-LO | 105157 |
| AF-ZY3004G | 光电开关/Photoelectric switch | ELS263PNP-DO | 105156 |
| AF-ZY3004H | 光电开关/Photoelectric switch | ELS263 | 104186/103717 |
| AF-ZY3004I | 光电开关/Photoelectric switch | ELS263PNP-DO | 104187/103716 |
| AF-ZY3003 | 光电开关/Photoelectric switch | GLS526 | |
| AF-ZY3004I | 光电开关/Photoelectric switch | ELS268+261 (单件) | |
| AF-ZY3004J | 光电开关/Photoelectric switch | ELS269+261 (双件) | |
| AF-ZY3016 | 光电开关/Photoelectric switch | | 106666 |



AF-ZY3007-3



AF-AQT100020A-N

AF-AQT100020A-C



AF-AQT100020A-P

AF-AQT100020A-A



AF-AQT100020A-U

AF-ZY3010A



AF-ZY3007D

AF-ZY3007



AF-ZY3007H



AF-ZY3007-2

AF-ZY3007-1



AF-ZY3004I 103716

AF-ZY3004G 105156



AF-ZY3004F 105157

AF-ZY3004H 104186

▼ Guide shoe/Oil cup



GS-011



GS-008



GS-006



GS-017



GS-003



GS-005



GS-021



GS-019



GS-016



GS-025



GS-026



GS-025



GS-018



GS-025



GS-028



GS-024



GS-028



GS-024



GS-027



GS-022



GS-023



OC-008



OC-006



OC-004



OC-005



OC-003



OC-006



OC-004



OC-005



OC-003



OC-006



OC-004



OC-005



OC-003

| A-FLY ID | 名称 | NAME | Size | Parameter |
|----------|----|------------------|----------------------|-----------|
| GS-001 | 靴衬 | Guide shoe liner | 120*37*34 | 25MM |
| GS-002 | 靴衬 | Guide shoe liner | 120*37*30 | 16MM |
| GS-002A | 靴衬 | Guide shoe liner | 127*57*37 | 10MM |
| GS-002B | 靴衬 | Guide shoe liner | 127*57*37 | 16MM |
| GS-002C | 靴衬 | Guide shoe liner | 120*37*30 | 10MM |
| GS-003 | 靴衬 | Guide shoe liner | 129*52*34 | 10MM/16MM |
| GS-004 | 靴衬 | Guide shoe liner | 101*27*30 | 21MM |
| GS-005 | 靴衬 | Guide shoe liner | 120*28*40 | 16.5MM |
| GS-005A | 靴衬 | Guide shoe liner | 120*28*40 | 10.5MM |
| GS-006 | 靴衬 | Guide shoe liner | 80*18*25.5 | 8MM/11MM |
| GS-007 | 靴衬 | Guide shoe liner | 100*39*32 | 17MM |
| GS-008 | 靴衬 | Guide shoe liner | 121*20*50 | 11MM |
| GS-009 | 靴衬 | Guide shoe liner | 140*30*30 | 16MM |
| GS-011 | 靴衬 | Guide shoe liner | 150*17*45 | 7MM |
| GS-012 | 靴衬 | Guide shoe liner | 150(220)*30*26 | 16MM |
| GS-012A | 靴衬 | Guide shoe liner | 150(220)*30*26 | 10MM |
| GS-013 | 靴衬 | Guide shoe liner | 222*30*28 | 16MM |
| GS-013A | 靴衬 | Guide shoe liner | 222*30*28 | 10MM |
| GS-014 | 靴衬 | Guide shoe liner | 208 (200/220) 33*35 | 16.5/17MM |
| GS-015 | 靴衬 | Guide shoe liner | 80*50*20 | 8MM |
| GS-016 | 靴衬 | Guide shoe liner | 72*55*15 | |
| GS-017 | 靴衬 | Guide shoe liner | 71*21*24 | |
| GS-018 | 靴衬 | Guide shoe liner | 200*25*11.5(6) | |
| GS-021 | 靴衬 | Guide shoe liner | 230*30 (35) | |
| GS-030 | 靴衬 | Guide shoe liner | 100*40 (30) *34 (27) | 11MM |
| GS-031 | 靴衬 | Guide shoe liner | 80*32 (29) *30 (25) | 17MM |
| GS-070 | 靴衬 | Guide shoe liner | 150*20*13(6) | |

| A-FLY ID | 名称 | NAME | Size |
|----------|----|---------|----------------|
| OC-001 | 油杯 | Oil cup | 133*124*101 |
| OC-002 | 油杯 | Oil cup | 105*65*81.5 |
| OC-003 | 油杯 | Oil cup | 108*158.5*133 |
| OC-004 | 油杯 | Oil cup | 159*105*132 |
| OC-005 | 油杯 | Oil cup | 100*106*70 |
| OC-006 | 油杯 | Oil cup | 127*116.5 |
| OC-007 | 油杯 | Oil cup | 150*56 |
| OC-008 | 油杯 | Oil cup | 120*81*59 |
| OC-009 | 油杯 | Oil cup | 万能油杯 |
| OC-010 | 油杯 | Oil cup | 145*44*128 |
| OC-011 | 油杯 | Oil cup | 188*170*55(77) |
| OC-013 | 油杯 | Oil cup | 95*44*18 |
| OC-014 | 油杯 | Oil cup | 120*60*78 |

| A-FLY ID | 名称 | NAME | Size | 安装孔 |
|----------|----|------------|---------------|-------|
| GS-022 | 导靴 | Guide shoe | 140*17 | 62MM |
| GS-023 | 导靴 | Guide shoe | 220*17 | 110MM |
| GS-024 | 导靴 | Guide shoe | 100*10 | 55MM |
| GS-025 | 导靴 | Guide shoe | 86*11/16 | 84MM |
| GS-026 | 导靴 | Guide shoe | 120*10.5/16.5 | 90MM |
| GS-027 | 导靴 | Guide shoe | 116*11/17 | 46MM |
| GS-028 | 导靴 | Guide shoe | 108*11/18 | 70MM |

| A-FLY ID | 名称 | Name | Model |
|--------------|---------------|--|-------------------------|
| AF-TY9135 | 机房对讲机 | Machine Room interphone | NKT12(1-1)A |
| AF-TY9136 | 轿内对讲分机 | Intercom inside the car | NKT12(1-1)B |
| AF-TY9137 | 值班室主机 | Security room interphone | NKT12(1-1)6A |
| AF-TY90001-E | 四线6扁监控主机 | Four-wire monitoring interphone(6 position) | AFFP1 (1-1) 6A |
| AF-TY90001-G | 四线16扁监控主机 | Four-wire monitoring interphone(16 position) | AFFP12(1-1)16A |
| AF-TY90004-A | 四线对讲主机 | Four-wire interphone | AFFP1 (1-1) A |
| AF-TY90004-B | 四线内置副机 | Four-wire Intercom inside the car | AFFC (1-1) B |
| AF-TY90004-C | 四线外置副机 | Four-wire Intercom outside the car | AFFC (1-1) B1 |
| AF-TY90001-5 | 六线对讲主机 | Six lines interphone | AFSIP (1-5) A |
| AF-TY90001-D | 六线D型主机 | Six lines D-type interphone | AFSIP (1-5) D |
| AF-TY90001-6 | 六线内置副机 | Six lines intercom inside the car | AFSIP (1-5) B |
| AF-TY90001-A | 二线主机 | Two-wire interphone | AFBIP12 (1-1) 6A |
| AF-TY90005-C | 二线主机 | Two-wire interphone | AFBIP12 (1-1) A |
| AF-TY90005-B | 二线内置副机 | two-line intercom inside the car | AFBIC12 (1-1) B |
| AF-TY90005-D | 二线外置副机 | two-line intercom outside the car | AFBIC12 (1-1) B1 |
| AF-TY90001 | 对讲主机 | interphone | AFIP (1-6) A |
| AF-TY90021-B | 对讲副机 | intercom | AFIP (1-6) B |
| AF-TY90002-A | 应急电源 | Emergency power | AF-EPD220/06 |
| AF-TY90002-B | 应急电源 | Emergency power | AF-EPD220/12 |
| AF-TY90003 | 蜂鸣器 | Buzzer | AFAB-12V/06V/24V |
| AF-TY90039-A | 应急灯头 | Emergency lamp | AFEL-12V |
| AF-TY90002-C | 应急电源 | Emergency power | AF-EPD220/06-AB12 |
| AF-TY90009-A | 二线对讲主机 | Two-wire interphone | AFBIP24 (1-1) A |
| AF-TY90021-A | 四线对讲主机 | Four-wire interphone | AFFP24 (1-1) A |
| AF-TY90003-C | 应急电源 | Emergency power | AF-EPD220V/24 |
| AF-TY90009-B | 二线主机(1-12) | Two-wire interphone(12 Position) | AFBIP12 (1-12) A |
| AF-TY90001-H | 二线主机(1-22) | Two-wire interphone(22 Position) | AFBIP (1-22) A |
| AF-TY90009-C | 二线主机(1-40/46) | Two-wire interphone(40/46 Position) | AFBIP (1-40/46) A |
| AF-TY90001-3 | 电梯对讲机(三方通话) | Elevator Intercom system (three-way calling) | |
| AF-TY90001-2 | 电梯对讲机(一主一勤) | Elevator Interphone + intercom | NBT24(1-1)A NBT24(1-1)B |
| AF-TY90001-A | 电梯对讲机-22扁总机 | Elevator Interphone(22 position) | |
| AF-TY90001-B | 电梯对讲机-64扁总机 | Elevator Interphone(64 position) | |
| AF-TY90001-C | 电梯对讲机-单扁主机 | Elevator Interphone(single) | |
| AF-TY90001-F | 电梯对讲机-11扁主机 | Elevator Interphone(11 position) | |
| AF-TY90001-P | 电梯对讲机分机(厚型) | Elevator Intercom Extension (thick) | |
| AF-TY90001-Q | 电梯对讲机分机(薄型) | Elevator intercom extension (thin) | |
| AF-TY90039-B | LED灯头 | LED lamp | |



AAFP12(1-1)2A



AAFP12(1-1)6A



AAFP12(1-1)2A



AAFP12(1-1)6A



AAFP12(1-1)16A



AAFP12(1-1)B



AAFP12(1-1)B

扶梯配件

Escalator Parts

Escalator lamp indicator



ZY20407



ZY20414



ZY20416



ZY20418



ZY20403



ZY20422



ZY20423



ZY20433



ZY20419

| A-FLY ID | NAME | 尺寸/SIZE | 参数 |
|-------------|---------------------|-------------------|------------------|
| AF-ZY20419A | Escalator Indicator | D110*180*线2M | DC/AC 24V 100MA |
| AF-ZY20400A | Escalator Indicator | D60 | |
| AF-ZY20400B | Escalator Indicator | D60 | |
| AF-ZY20402A | Escalator Indicator | D70 | |
| AF-ZY20402B | Escalator Indicator | D70 | |
| AF-ZY20403 | Escalator Indicator | D60 | |
| AF-ZY20404 | Escalator Indicator | D70 | |
| AF-ZY20405 | Escalator Indicator | D70 | 24V AC/DC 100MA |
| AF-ZY20406 | Escalator Indicator | D70 | 24V AC/DC 100MA |
| AF-ZY20407 | Escalator Indicator | D70 | 24V AC/DC 100MA |
| AF-ZY20408 | Escalator Indicator | 120*165 | 24V/12V DC 50MA |
| AF-ZY20409 | Escalator Indicator | 112*58*58 | 24V/12V DC 50MA |
| AF-ZY20410 | Escalator Indicator | D60 | 24V/12V DC 50MA |
| AF-ZY20411 | Escalator Indicator | D70 | 24V/12V DC 50MA |
| AF-ZY20412 | Escalator Indicator | D110 | 24V/12V DC 50MA |
| AF-ZY20413 | Escalator Indicator | | DC 24V 50MA |
| AF-ZY20414 | Escalator Indicator | 185*65*100 | 24V/12V DC 200MA |
| AF-ZY20415 | Escalator Indicator | D72 | DC 24V 150MA |
| AF-ZY20416 | Escalator Indicator | D72 | 24V/12V DC 150MA |
| AF-ZY20417 | Escalator Indicator | | 24V AC/DC 100MA |
| AF-ZY20418A | Escalator Indicator | D110 | 24V AC/DC 100MA |
| AF-ZY20418B | Escalator Indicator | D110 | 24V AC/DC 100MA |
| AF-ZY20419A | Escalator Indicator | D110*180*线2M | DC/AC 24V 100MA |
| AF-ZY20419B | Escalator Indicator | D110*180*线2M | DC/AC 24V 100MA |
| AF-ZY20420 | Escalator Indicator | D100 | 24V/12V DC 100MA |
| AF-ZY20421 | Escalator Indicator | D90 | 24V/12V DC 100MA |
| AF-ZY20422 | Escalator Indicator | D110 | 24V/12V DC 150MA |
| AF-ZY20423 | Escalator Indicator | D110 | 24V DC 150MA |
| AF-ZY20432 | Escalator Indicator | 100CM*109MM | |
| AF-ZY20433 | Escalator Indicator | 79.7*30*34.7 | |
| AF-ZY20434 | Escalator Indicator | | |
| AF-ZY20424 | Escalator Lamp | | 24V AC/DC 100MA |
| AF-ZY20425 | Escalator Lamp | | 24V AC/DC 100MA |
| AF-ZY20426 | Escalator Lamp | | 24V AC/DC 100MA |
| AF-ZY20427 | Escalator Lamp | 220/110V AC/DC 7W | |
| AF-ZY20428 | Escalator Lamp | 210*50*48 | 24V AC/DC 100MA |
| AF-ZY20429 | Escalator Lamp | | 24V AC/DC 60MA |



ZY20428

安全钳 (Safety gear)

| A-FLY ID | 名称/NAME | Speed | Technical parameter P-Q(KG) | Width of guide rails |
|-----------|-----------------|----------|--------------------------------|----------------------|
| AF-OX188 | 安全钳/Safety gear | ≤2.5m/s | 1045-4467 | 10/15.88/16 |
| AF-OX288 | 安全钳/Safety gear | ≤0.63m/s | 10mm : ≤3602kg | 16mm : ≤7161kg |
| AF-OX188A | 安全钳/Safety gear | ≤2.5m/s | 1500-6500 | 15.88/16 |
| AF-OX210A | 安全钳/Safety gear | ≤2.5m/s | 108-3953 | 10/15.88/16 |
| AF-OX388 | 安全钳/Safety gear | ≤0.63m/s | ≤12148 | 16 |
| AF-OX088 | 安全钳/Safety gear | ≤0.63m/s | ≤1506 | 10 |

夹绳器(Rope brake)


| A-FLY ID | 名称/NAME | Rared speed | Rated load range | Total weight |
|-----------------|---------|-------------|------------------|---------------|
| AF-OX250A | 机械式 | 1.1 | Q=320-1250KG | 992-2905KG |
| Rope brake | 2.1 | V≤0.63m/s | Q=1000-5000KG | 5530-13110KG |
| Mechanical | 4.1 | V≤1.25m/s | Q=640-2500KG | 1984-5810KG |
| | 4.1 | V≤0.31m/s | Q=2000-10000KG | 11060-26220KG |
| AF-OX250B | 电磁式 | Rared speed | Rated load range | Total weight |
| Rope brake | 1.1 | V≤2.5m/s | Q=320-1250KG | 992-2905KG |
| Electromagnetic | 2.1 | V≤0.63m/s | Q=1000-5000KG | 5530-13110KG |
| | 2.1 | V≤1.25m/s | Q=640-2500KG | 1984-5810KG |
| | 4.1 | V≤0.31m/s | Q=2000-10000KG | 11060-26220KG |

Wire rope

钢丝绳

Elevator rope with fibre core 纤维芯电梯钢丝绳


Tensile Grade 抗拉强度: 1570N/mm²

| Rope-ø 直径 mm | 计算质量 kg/m | minimum breaking load 最小破断拉力 kN | Construction: 8*19 Seale with fibre core, regular lay Number of Load bearing wire 152 结构: 8*19, 纤维芯, 西鲁 式, 交互捻 承载钢丝绳数量: 152 |
|--------------------|--------------|---------------------------------------|---|
| 8 | 0.215 | 29.4 |  <p>钢丝绳结构图</p> |
| 9 | 0.270 | 37.4 | |
| 9.5 3/8" | 0.307 | 42.1 | |
| 10 | 0.340 | 46.5 | |
| 11 | 0.411 | 56.4 | |
| 12 | 0.488 | 66.8 | |
| 12.7 1/2" | 0.552 | 75.5 | |
| 13 | 0.579 | 79.3 | |
| 14 | 0.667 | 91.4 | |
| 15 | 0.774 | 106.0 | |
| 16 5/8" | 0.871 | 119.3 | |
| 18 | 1.067 | 149.0 | |
| 19 | 1.213 | 165.8 | |
| 20 | 1.346 | 184.5 | |


RAWO F10

Special-full steel rope for elevators with 9 outer stands

带力9股的全钢钢丝绳

| Rope-ø 直径 mm | 计算质量 kg/m | minimum breaking load 最小破断拉力 kN | Construction: Full steel rope with 9 outer Strands, regular lay 结构: 8*19, 带全钢/钢丝绳芯, 瓦林蒂式, 交互捻 |
|--------------------|--------------|---------------------------------------|--|
| 8 | 0.28 | 43.2 |  <p>钢丝绳结构图</p> |
| 9 | 0.35 | 54.8 | |
| 10 | 0.43 | 67.2 | |
| 11 | 0.52 | 80.6 | |
| 12 | 0.63 | 95.2 | |
| 13 | 0.75 | 113.4 | |
| 14 | 0.88 | 135.7 | |
| 15 | 1.00 | 152.8 | |
| 16 | 1.14 | 174.0 | |
| 18 | 1.44 | 219.7 | |
| 19 | 1.61 | 244.9 | |
| 20 | 1.78 | 272.5 | |

安全部件 Safety parts



门系统

Door Parts

佛马特Fermator®



| A-FLY ID | Name | Factory ID |
|--------------|--|---------------|
| AF-FMT13002 | Eccentric roller shaft,Φ30 mm,(new model3mm) | 10.70.23 |
| AF-FMT13003 | Concentric shaft roller, Φ56 mm | 90.26.00 |
| AF-FMT13003 | Air cord wheel Φ64 mm. | 90.24.00 |
| AF-FMT13004 | Eccentric roller shaft, Φ54 mm. | 90.27.00 |
| AF-FMT13005 | Air cord wheel Φ47 mm. | PFR-C00000009 |
| AF-FMT13007 | Motor splined sprocket | 90.11.04 |
| AF-FMT13008 | Idler return splined sprocket. | 90.12.00 |
| AF-FMT13009 | | |
| AF-FMT13010 | skate trigger(moving) | 90.16.02 |
| AF-FMT13011 | Complete door release system, (indicate sense opening). | 20.30.03 |
| AF-FMT13013 | Landing lock beak, (indicate sense opening). | 20.80.01 |
| AF-FMT13015 | Lock roller mounting plate, (indicate type of door, sense opening, CO) | 20.81.02 |
| AF-FMT13016 | Lock pick up roller. | 20.80.03 |
| AF-FMT13017 | Support main part lock | 20.20.02 |
| AF-FMT13018 | Rubber stop M6. | 20.10.07 |
| AF-FMT13019A | Lock-series switch. | 20.20.04 |
| AF-FMT13019A | Lock-series switch.(Not original) | 20.20.04 |
| AF-FMT13020 | Car door contact. | 90.22.00 |
| AF-FMT13021 | Encoder motor. | 90.11.06 |
| AF-FMT13023 | Skate set, (indicate door model and CO). | 90.16.00 |
| AF-FMT13030 | Hanger door panel connector. | 20.51.02 |
| AF-FMT13031 | Door release rod,(indicate door model and opening). | 20.30.01 |
| AF-FMT13033 | complete bottom guide shoe | 90.19.00 |
| AF-FMT13033A | 不带轴 | |
| AF-FMT13034 | Synchronization metal cord, (indicate door model and CO). | 90.23.00 |
| AF-FMT13038A | VVF door controller | |
| AF-FMT13040A | door motor | |
| AF-FMT13041 | HTD-5M Teeth belt, (indicate CO). | 90.15.00 |
| AF-FMT13044 | Base of HTD belt | 90.14.00 |
| AF-FMT13053 | Concentric shaft roller, Φ48 mm,(length thread 26mm). | 10.70.20 |
| AF-FMT13054 | Eccentric roller shaft, Φ48 mm. | 10.70.22 |
| AF-FMT13055 | door slide | |
| AF-FMT13055A | door slide | |
| AF-FMT13056A | Door Lock | |
| AF-FMT13056B | Door Lock | |
| AF-FMT13057 | Belt Driving Roller | 90.11.04 |



| A-FLY ID | 名称/Name | Factory ID | 尺寸/Size |
|------------|---------------------------------|----------------------|-------------------|
| AF-WT12002 | 门挂轮top roller-1 | 3201.05.0032/C | 56*16*M8*620RS |
| AF-WT12003 | 门挂轮pp top roller | | |
| AF-WT12004 | 绳轮rope roller w/axle | 3201.05.0010/C | 64*11 (9) **620RS |
| AF-WT12005 | 门球door roller | 3201.05.0013/C | 40*16*15 |
| AF-WT12006 | 主动轮driving wheel-1 | | |
| AF-WT12007 | 绳轮augusta rope roller-1 | | 45*11*6202 |
| AF-WT12008 | 下挂轮(偏心心) bootom pully | 3201.05.0058/C | 43*16*M12*620RS |
| AF-WT12009 | augusta bottom pully | | |
| AF-WT12010 | augusta top roller | | 45*16 |
| AF-WT12011 | 从动轮driving wheel-2 | | |
| AF-WT12012 | 主动轮组件driving set | | |
| AF-WT12013 | 门门缓冲垫landing door cushion | 2101.05.0001/C | |
| AF-WT12014 | 触点selcom contact | KF-9075 | |
| AF-WT12015 | 触头长contactor-oblong | KF-9074 | |
| AF-WT12016 | 触头方contactor-squarre | KF-2V 6402.00.0001/C | |
| AF-WT12017 | shock absorpction partical | | |
| AF-WT12018 | 电机selcom motor | | |
| AF-WT12019 | 马达皮带轮motor belt wheel | | |
| AF-WT12020 | 齿形带tooth belt | | |
| AF-WT12021 | 门机控制器 controller | | |
| AF-WT12022 | 编码器encoder | | 60*35*18 |
| AF-WT12023 | 编码器encoding disk | | 140*29*24 |
| AF-WT12024 | 扇形门球door lock set | | |
| AF-WT12025 | MIDI 刀/midi cam | | |
| AF-WT12026 | 滑块bottom shoes-plastic | | |
| AF-WT12027 | 滑块组合bottom shoes set | | |
| AF-WT12028 | 吊门螺栓铝合panel fixing bolts | | |
| AF-WT12029 | 三角钥匙emergency key | 3201.05.1032/C | |
| AF-WT12030 | selcom trip device | 3201.05.0011/C | |
| AF-WT12031 | selcom limit switch | | |
| AF-WT12032 | installation brackets | | |
| AF-WT12033 | swinging arm fittings | | |
| AF-WT12034 | motor telescopic | | |
| AF-WT12035 | selcom towed truck | | |
| AF-WT12036 | augusta door roller bracket set | | |
| AF-WT12037 | RC-48 | | |
| AF-WT12038 | 变频器刀frequency door cam | | |
| AF-WT12039 | 机械刀/mechanical door cam | | |
| AF-WT12040 | 机械刀/mechanical door cam | | |
| AF-WT12041 | eco cam | | |
| AF-WT12042 | augusta emergency release | 3215.05.5M52 | |
| AF-WT12043 | 三角垫emergency release | 3201.05.1010/C | |
| AF-WT12044 | augusta bottom shoes | | |
| AF-WT12045 | door roller bracket set | | |
| AF-WT12046 | driving cable | | |
| AF-WT12047 | light curtain traveling chain | | |
| AF-WT12048 | selcom belt | 6PJ965 | 965*14*4 |
| AF-WT12049 | selcom spring | | |
| AF-WT12050 | 直流电机 | | |
| AF-WT12056 | 门触点 | 58 | |



西尔康Selcom®

